



## DELL WL3024 Headset Wired & Wireless Head-band Calls/Music USB Type-C Bluetooth Black

**Brand :** DELL

**Product code:** WL3024-DWW

**Product name :** WL3024

20Hz - 20kHz, 28mm, 119dB, 41Hrs, Bluetooth 5.3 (30m), USB-C, 182g

[DELL WL3024 Headset Wired & Wireless Head-band Calls/Music USB Type-C Bluetooth Black:](#)

Experience clear communication with this wireless AI-based noise cancellation headset, designed with a focus on productivity and comfort for all-day conferencing.

DELL WL3024. Product type: Headset. Connectivity technology: Wired & Wireless, Bluetooth.

Recommended usage: Calls/Music. Headphone frequency: 20 - 20000 Hz. Wireless range: 30 m. Cable length: 1.5 m. Weight: 182 g. Product colour: Black



Performance		Microphone	
Product type *	Headset	Microphone direction type	Unidirectional
Wearing style *	Head-band	Number of microphones	2
Recommended usage *	Calls/Music	Microphone noise-canceling	✓
Headset type	Binaural	Battery	
Product colour *	Black	Battery operated	✓
Operating keys	Volume +, Volume -	Battery type	Built-in battery
Volume control	Button	Battery capacity	500 mAh
Control type	Buttons	Continuous audio playback time	41 h
Cable length	1.5 m	Talk time	26 h
Detachable cable	✓	Battery recharge time	2 h
LED indicators	✓	Fast charging	✓
BeamForming	✓	Charging source	USB
Works with the Google Assistant	✓	System requirements	
Works with Apple Siri	✓	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Ports & interfaces		Mac operating systems supported	✓
Connectivity technology *	Wired & Wireless	Mobile operating systems supported	Android, iOS
USB connectivity	✓	Operational conditions	
USB connector	USB Type-C	Operating temperature (T-T)	0 - 40 °C
Bluetooth	✓	Storage temperature (T-T)	-5 - 45 °C
Bluetooth version	5.3	Weight & dimensions	
Wireless range	30 m	Width	67.5 mm
Headphones		Depth	190.5 mm
Maximum input power	30 mW	Height	181.7 mm
Ear coupling *	Supraaural	Weight	182 g
Headphone frequency	20 - 20000 Hz	Packaging content	
Headphone sensitivity	119 dB	Audio adapters included	USB
Driver unit	2.8 cm		
Noise canceling	✓		

Headphones		Packaging content	
Noise canceling type	Passive	Cables included	USB Type-C to USB Type-C
Microphone		Pouch	✓
Microphone type *	Boom	Supplier features	
Microphone frequency	100 - 14000 Hz	Material	Leatherette, Memory foam, Plastic
Microphone sensitivity	-45 dB		



5397184820391

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-NOV-2023. Prints or copies of Information are only valid on the printed Publication date