

Brother HL-L5210DW 1200 x 1200 DPI A4 Wi-Fi

Brand : Brother Product code: HL-L5210DWQJ1

Product name: HL-L5210DW

Laser, 1200 x 1200 dpi, USB 2.0, LAN, WLAN, LCD

Brother HL-L5210DW. Print technology: Laser. Number of print cartridges: 1. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 48

ppm, Duplex printing. Wi-Fi. Product colour: Black, White



Printing		Network	
Colour * Print technology *	X Laser	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Duplex printing * Maximum resolution *	√ 1200 x 1200 DPI	Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA2-TKIP, WPA3-SAE
Print speed (black, normal quality, A4/US Letter) *	48 ppm		ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom
Features		LLMNR responder, LPR/LPD, Cu: Supported network protocols (IPv4) Server, TELNET Server, HTTP/H server, TFTP client and server,	
Printing colours * Number of print cartridges * Page description languages *	Black 1 BR-Script 3, PCL 6, PDF, XPS		Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web
Input & output capacity			Services (Print), CIFS client, SNTP
Total number of input trays * Total input capacity * Total output capacity * Multi-Purpose tray Multi-Purpose tray input capacity	1 250 sheets 150 sheets ✓ 100 sheets	Supported network protocols (IPv6)	client, Syslog NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TENET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client,
Paper handling			SNTP Client, Syslog
Maximum ISO A-series paper size *	A4	Performance	
Paper tray media types *	Envelopes, Letterhead, Plain paper, Recycled paper, Thin paper	Internal memory *	512 MB
ISO A-series sizes (A0A9) *	A4, A5, A6	Sound pressure level (printing)	54 dB
Non-ISO print media sizes	Folio, Legal, Letter	Design	
JIS B-series sizes (B0B9)	B5	Market positioning *	Home & office
Envelopes sizes	C5, Com-10, DL, Monarch	Product colour *	Black, White
Ports & interfaces		Built-in display *	√
USB port *	1	Colour display	×
USB connector	USB Type-A / USB Type-B	Power	
Network		Power consumption (printing) *	670 W
Wi-Fi *	1	AC input voltage	220 - 240 V 50/60 Hz
Ethernet LAN *	V	AC input frequency	50/60 H2
Cabling technology Ethernet LAN data rates	10/100/1000Base-T(X) 10,100,1000 Mbit/s	System requirements	
		Windows operating systems supported	Windows 10, Windows 11
		Operational conditions	
		Operating temperature (T-T)	10 - 32.5 °C
		Storage temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H) Storage relative humidity (H-H)	20 - 80% 35 - 85%
		Weight & dimensions	
		Width	373 mm
		Depth	388 mm

Neial	ht &	dimen	sions

Height 257 mm

