ASUS PRIME B650M-R AMD B650 Socket AM5 micro ATX

Brand: ASUS Product code: 90MB1H30-M0EAY0

Product name: PRIME B650M-R

- AM5 Socket for AMD Ryzen Desktop Processors
- Ultrafast Connectivity: PCle 4.0, two M.2 slots, Realtek 2.5Gb Ethernet, USB 5Gbps ports, front USB 5Gbps Type-C
- Comprehensive Cooling: VRM heatsink, PCH heatsink, hybrid fan headers and Fan Xpert 2+
- Aura Sync RGB Lighting: Onboard Addressable Gen 2 headers for RGB LED strips, easily synced with Aura Sync-capable hardware
- Two-way Al Noise Cancelation: Reduces background noise from the microphone and audio output for crystal-clear communication in games or video conferences

PRIME B650M-R Gaming Mainboard Sockel AMD AM5 (microATX, DDR5, PCle 4.0, Realtek 2.5Gb Ethernet, HDMI, SATA 6 Gbit/s, BIOS Flashback, Aura Sync)





| Processor | | Internal I/O | |
|---|--|---|--|
| Processor manufacturer * | AMD | RGB LED pin header | 1 |
| Processor socket * | Socket AM5 | Rear panel I/O ports | |
| Compatible processor series * | AMD Ryzen 9 8th Gen, AMD Ryzen™ 3, AMD Ryzen™ 5, AMD Ryzen™ 7, AMD Ryzen 9 7th Gen | USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A | 4 2 |
| Supported processor sockets | Socket AM5 | ports quantity * Ethernet LAN (RJ-45) ports * | 1 |
| Memory | | HDMI ports quantity * | 1 |
| Supported memory types * DDR5-SDRAM Number of memory slots * 2 Memory slots type DIMM Memory channels Dual-channel | | Headphone outputs Line-in | 1 1 • |
| | 0,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200 | Network | |
| Supported memory clock speed (max) Maximum internal memory * 96 GB Unbuffered memory ✓ | | Ethernet LAN Ethernet interface type Wi-Fi * | ✓ 2.5 Gigabit Ethernet X |
| Storage controllers | | Features | |
| Supported storage drive types Supported storage drive interfaces Number of HDDs supported Number of storage drives supported RAID support RAID levels | 4 | Motherboard chipset * Audio output channels * Product colour Component for * Motherboard form factor * Motherboard chipset family * | AMD B650 7.1 channels Black PC micro ATX AMD |
| Graphics | | Cooling type | Passive |
| Parallel processing technology support * | Not supported | Power source type Windows operating systems supported | ATX Windows 10, Windows 11 |
| Internal I/O | | | |
| USB 2.0 connectors * | 2 | Expansion slots | _ |
| USB 3.2 Gen 1 (3.1 Gen 1) connectors * | 2 | PCI Express x1 (Gen 4.x) slots PCI Express x16 (Gen 4.x) slots | 1 |
| Number of SATA III connectors * | 4 | Number of M.2 (M) slots | 2 |
| S/PDIF out connector Front panel audio connector ATX Power connector (24-pin) | √ √ √ √ | BIOS BIOS type * BIOS memory size | UEFI AMI 256 Mbit |

| Internal I/O | | Packaging data | |
|---|------------------|---|--|
| CPU fan connector Number of chassis fan connectors EPS power connector (8-pin) Number of COM connectors TPM connector 12V power connector | 2 4 1 4 | Package width Package depth Package height Package weight Weight & dimensions Width Depth | 260 mm 270 mm 51.5 mm 855 g 236 mm 221 mm |
| | | Packaging content Cables included User guide Other features | SATA ✓ |
| | | Back-to-BIOS button | ✓ |



4711387429761

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.