



BenQ X500i data projector Short throw projector 2200 ANSI lumens DLP 2160p (3840x2160) Black, White

Brand : BenQ

Product code: 9H.JSC77.17E

Product name : X500i



BenQ X500i. Projector brightness: 2200 ANSI lumens, Projection technology: DLP, Projector native resolution: 2160p (3840x2160). Light source type: LED, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focal length range: 10.2~12.24 mm, Aperture range (F-F): 2.53 - 2.73, Zoom ratio: 1.2:1. Serial interface type: RS-232. Wi-Fi standards: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)

Projector		Network	
Smart projector *	✗	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Projector brightness *	2200 ANSI lumens	Bluetooth	✓
Projection technology *	DLP	Bluetooth version	5.0
Projector native resolution *	2160p (3840x2160)	Storage	
Contrast ratio (typical) *	600000:1	Card reader integrated *	✗
Native aspect ratio *	16:9	Features	
Number of colours	1.07 billion colours	Interactive *	✗
Keystone correction, horizontal	±30°	High Dynamic Range (HDR) supported	✓
Keystone correction, vertical	±30°	AirPlay	✓
Colour gamut	84%	Operating system installed	Android
Light source		Operating system version	11
Light source type *	LED	Multimedia	
Service life of light source *	20000 h	Built-in speaker(s) *	✓
Service life of light source (economic mode)	30000 h	RMS rated power	2 W
Lens system		Number of built-in speakers	10
Focal length range	10.2~12.24 mm	Design	
Aperture range (F-F)	2.53 - 2.73	Market positioning *	Home cinema
Zoom capability	✓	Product type *	Short throw projector
Zoom ratio	1.2:1	Product colour *	Black, White
Throw ratio	0.69-0.83	Display	
Offset	102.5%	Built-in display *	✗
Video		Power	
Full HD *	✓	Power source *	AC
3D *	✗	Power consumption (typical) *	236 W
Ports & interfaces		Power consumption (standby) *	0.5 W
USB 2.0 ports quantity *	1	AC input voltage	100-240 V
Serial interface type *	RS-232	AC input frequency	50/60 Hz
PC Audio out	✓		
S/PDIF out port	✓		
HDMI ports quantity *	2		

Ports & interfaces		Operational conditions	
DVI port *	✘	Operating temperature (T-T)	0 - 40 °C
Network		Weight & dimensions	
Smart TV *	✔	Width	366 mm
Ethernet LAN *	✘	Depth	118 mm
Wi-Fi *	✔	Height	244 mm
		Weight *	3.6 kg
Packaging content			
		Remote control included *	✔
		Batteries included	✔



4718755092763

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-FEB-2024. Prints or copies of Information are only valid on the printed Publication date