

Philips V Line 271V8LAB/00 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

Brand : Philips

Product family: V Line

Product code: 271V8LAB/00

Product name : 271V8LAB/00

Monitor 271V8LAB LCD monitor

Philips V Line 271V8LAB/00 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black:

This monitor gives an unmatched viewing experience. Not only is it equipped with essential features, but it also has ones that stand out like its 100 Hz refresh rate, Adaptive Sync, LowBlue Mode, flicker-free, a VESA mount and more.

Philips V Line 271V8LAB/00. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	VESA mounting *	✓
Display resolution *	1920 x 1080 pixels	Panel mounting interface	100 x 100 mm
HD type *	Full HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LCD	Tilt angle range	-5 - 20°
Panel type *	VA	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Backlight type	W-LED		
Touchscreen *	✗		
Display brightness (typical)	250 cd/m²	Plug and Play	✓
Response time	4 ms	LED indicators	Operation, Stand-by
Anti-glare screen	✓	Power	
Screen shape *	Flat	Energy efficiency class (SDR) *	Not available
Contrast ratio (typical) *	4000:1	Energy efficiency class (HDR) *	Not available
Dynamic contrast ratio marketing name	Mega Infinity DCR	Power consumption (typical) *	32.89 W
Maximum refresh rate *	100 Hz	Power consumption (standby) *	0.5 W
Viewing angle, horizontal	178°	Power consumption (off)	0.3 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	16.7 million colours	AC input frequency	50/60 Hz
Pixel pitch	0.3114 x 0.3114 mm	Power supply type	Internal
Pixel density	82 ppi	Operational conditions	
Horizontal scan range	30 - 115 kHz	Operating temperature (T-T)	0 - 40 °C
Vertical scan range	48 - 100 Hz	Storage temperature (T-T)	-20 - 60 °C
Viewable size, horizontal	59.8 cm	Operating relative humidity (H-H)	20 - 80%
Viewable size, vertical	33.6 cm	Operating altitude	0 - 3658 m
Display diagonal (metric)	68.6 cm	Non-operating altitude	0 - 12192 m
DDC/CI	✓	Packaging content	
Haze rate	25%	Stand included	✓
Surface hardness	3H	Manual	✓
Colour depth	8 bit	Performance	
Display sRGB	✓	NVIDIA G-SYNC *	
		✗	

Performance		Weight & dimensions	
AMD FreeSync *	✗	Width (with stand)	614 mm
VESA Adaptive Sync support	✓	Depth (with stand)	231 mm
Component video sync	Separate sync, Sync-on-green (SOG)	Height (with stand)	457 mm
Flicker-free technology	✓	Weight (with stand)	3.74 kg
Low Blue Light technology	✓	Width (without stand)	614 mm
Multimedia		Depth (without stand)	53 mm
Built-in speaker(s) *	✓	Height (without stand)	367 mm
Built-in camera *	✗	Weight (without stand)	3.28 kg
Number of speakers	2	Packaging data	
RMS rated power	4 W	Package width	730 mm
Design		Package depth	123 mm
Market positioning *	Home	Package height	446 mm
Product colour *	Black	Package weight	5.35 kg
Ports & interfaces		Sustainability	
Built-in USB hub *	✗	Doesn't contain	Mercury, PVC/BFR
VGA (D-Sub) ports quantity	1	Other features	
HDMI *	✓	Exterior finish type	Textured
HDMI ports quantity	1	Picture enhancement	SmartImage
HDMI version	1.4	Recyclable packaging material	100%
Audio output	✓	Regulatory Approvals	CB; CE Mark; CCC; CECP; CEL; ICES-003; BSMI; EAC; FCC; PSB; TUV Ergo; TUV/GS
PC Audio in	✓	EasyRead mode	✓
HDCP	✓	LowBlue mode	✓
HDCP version	1.4	Mean time between failures (MTBF)	30000 h



8712581804374

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-MAY-2024. Prints or copies of Information are only valid on the printed Publication date