

## Intel Core i5-14600 processor 24 MB Smart Cache

Brand: Intel Product family: Core Product code: CM8071504821018

Product name: i5-14600

Intel® Core™ i5 processor 14600 (24M Cache, up to 5.20 GHz) FC-LGA16A, Tray
Intel Core i5-14600. Processor family: Intel® Core™ i5, Processor socket: LGA 1700, Processor
manufacturer: Intel. Memory channels: Dual-channel, Maximum internal memory supported by
processor: 192 GB, Memory types supported by processor: DDR4-SDRAM, DDR5-SDRAM. On-board
graphics card model: Intel UHD Graphics 770, On-board graphics card outputs supported: Embedded
DisplayPort (eDP) 1.4b, DisplayPort 1.4a, HDMI 2.1, On-board graphics card base frequency: 300 MHz.
Market segment: Desktop, Use conditions: Workstation, PC/Client/Tablet, PCI Express slots version: 4.0,
5.0. Processor package size: 45 x 37.5 mm





Processor		Features	
Processor manufacturer *	Intel	CPU configuration (max)	1
Processor generation	Intel Core i5-14xxx	Embedded options available	×
Processor model *	i5-14600	Thermal solution specification	PCG 2020C
Processor family * Processor cores *	Intel® Core™ i5 14	Direct Media Interface (DMI) Revision	4.0
Processor socket *	LGA 1700	Export Control Classification Number (ECCN)	5A992C
Processor threads	20	Commodity Classification	
Processor operating modes *	64-bit	Automated Tracking System	740.17B1
Performance cores	6	(CCATS)	
Efficient cores	8	Processor special features	
Processor boost frequency	5.2 GHz	Intel® Hyper Threading Technology	
Performance-core boost frequency	5.2 GHz	(Intel® HT Technology)	✓
Performance-core base frequency	2.7 GHz	Intel® Turbo Boost Technology	2.0
Efficient-core boost frequency	3.9 GHz	Intel® Quick Sync Video Technology	<b>√</b>
Efficient-core base frequency	2 GHz	Intel® Clear Video HD Technology	J
Processor cache	24 MB	(Intel® CVT HD)	•
Processor cache type	Smart Cache	Intel® AES New Instructions (Intel®	1
Box *	×	AES-NI)	
Processor base power	65 W	Enhanced Intel SpeedStep Technology	✓
Maximum turbo power	154 W	Intel Trusted Execution Technology	1
Stepping	В0	Intel® Speed Shift Technology	,
Maximum number of DMI lanes	8	Intel® Gaussian & Neural	•
Memory bandwidth supported by processor (max)	89.6 GB/s	Accelerator (Intel® GNA) 3.0	<b>√</b>
Processor codename	Raptor Lake	Intel® Control-flow Enforcement Technology (CET)	1
Processor ARK ID	236845	Intel® Thread Director	1
Memory		Intel VT-x with Extended Page Tables (EPT)	<b>√</b>
Maximum internal memory	192 GB	Intel® Secure Key	1
supported by processor Memory types supported by	DDR4-SDRAM, DDR5-SDRAM	Intel® Active Management Technology (Intel® AMT)	<b>✓</b>
processor		Intel® OS Guard	J
Memory channels *	Dual-channel	Intel 64	, ,
ECC	00.5.50/	Intel Virtualization Technology (VT-	•
Memory bandwidth (max)	89.6 GB/s	x)	✓
Graphics	,	Intel Virtualization Technology for Directed I/O (VT-d)	✓
On-board graphics card *	<b>√</b>	Intel® Boot Guard	1
Discrete graphics card * On-board graphics card model * On-board graphics card outputs supported	Intel UHD Graphics 770 Embedded DisplayPort (eDP) 1.4b, DisplayPort 1.4a, HDMI 2.1	Intel® Deep Learning Boost (Intel® DL Boost)	· •

Graphics		Processor special features	
On-board graphics card base frequency	300 MHz	Intel® Volume Management Device (VMD)	✓
On-board graphics card dynamic frequency (max)	1550 MHz	Mode-based Execute Control (MBE)	
Number of displays supported (on-		Intel® Standard Manageability (ISM)	
board graphics)	4	Intel® One-Click Recovery	✓
On-board graphics card DirectX version	12.0	Intel® Stable IT Platform Program (SIPP)	<b>√</b>
On-board graphics card OpenGL version	4.5	Intel® Remote Platform Erase (RPE) Intel® Virtualization Technology	<b>√</b>
On-board graphics card maximum resolution (DisplayPort)	7680 x 4320 pixels	with Redirect Protection (VT-rp) Intel vPro® Enterprise Platform Eligibility	<b>√</b>
On-board graphics card maximum resolution (eDP - Integrated Flat Panel)	5120 x 3200 pixels	Intel® Threat Detection Technology (TDT)	1
On-board graphics card maximum	4005 2150 3 34	Intel® Hardware Shield Eligibility	✓
resolution (HDMI) On-board graphics card refresh rate	4096 x 2160 pixels	Intel® Total Memory Encryption - Multi Key	✓
at maximum resolution (DisplayPort)	60 Hz	Intel vPro® Essentials Platform Eligibility	✓
On-board graphics card refresh rate	120 Hz	Operational conditions	
at maximum resolution (eDP - Integrated Flat Panel)		Tjunction	100 °C
On-board graphics card refresh rate at maximum resolution (HDMI)	60 Hz	Technical details	
On-board graphics card ID	0xA780	OpenCL version	3.0
Discrete graphics card model *	Not available	Launch date	Q1'24
Number of execution units	32	Status	Launched
Multi-Format Codec Engines	2	Logistics data	
Features		Harmonized System (HS) code	8542310001
Execute Disable Bit	✓	Weight & dimensions	
Idle States	✓	Processor package size	45 x 37.5 mm
Thermal Monitoring Technologies	Position	Other features	
Market segment Use conditions	Desktop Workstation, PC/Client/Tablet	L2 cache	20480 KB
Maximum number of PCI Express		Maximum internal memory	192 GB
lanes	20	Graphics output	eDP 1.4b, DP 1.4a, HDMI 2.1
PCI Express slots version	4.0, 5.0		
PCI Express configurations	1x16+1x4, 2x8+1x4		
Supported instruction sets	AVX 2.0, SSE4.1, SSE4.2		
Scalability	1S		

