

Intel 300 processor 6 MB Smart Cache Box

Brand : Intel

Product code: BX80715300

Product name : 300



Intel® Processor 300 (6M Cache, up to 3.90 GHz) FC-LGA16A
 Intel 300. Processor socket: LGA 1700, Processor manufacturer: Intel, Processor operating modes: 64-bit.
 Memory channels: Dual-channel, Maximum internal memory supported by processor: 192 GB, Memory types supported by processor: DDR4-SDRAM, DDR5-SDRAM. On-board graphics card model: Intel UHD Graphics 710, On-board graphics card outputs supported: Embedded DisplayPort (eDP) 1.4b, DisplayPort 1.4a, HDMI 2.1, On-board graphics card base frequency: 300 MHz. Market segment: Desktop, Use conditions: PC/Client/Tablet, PCI Express slots version: 4.0, 5.0. Processor package size: 45 x 37.5 mm

Processor		Features	
Processor manufacturer *	Intel	Maximum number of PCI Express lanes	20
Processor model *	300	PCI Express slots version	4.0, 5.0
Processor cores *	2	PCI Express configurations	1x16+1x4, 2x8+1x4
Processor socket *	LGA 1700	Supported instruction sets	AVX 2.0, SSE4.1, SSE4.2
Processor threads	4	Scalability	1S
Processor operating modes *	64-bit	CPU configuration (max)	1
Performance cores	2	Embedded options available	✗
Performance-core base frequency	3.9 GHz	Thermal solution specification	PCG 2020C
Processor cache	6 MB	Direct Media Interface (DMI) Revision	4.0
Processor cache type	Smart Cache	Export Control Classification Number (ECCN)	5A992C
Box *	✓	Commodity Classification Automated Tracking System (CCATS)	740.17B1
Cooler included *	✓	Processor special features	
Processor base power	46 W	Intel® Hyper Threading Technology (Intel® HT Technology)	✓
Stepping	H0	Intel® Quick Sync Video Technology	✓
Maximum number of DMI lanes	8	Intel® Clear Video HD Technology (Intel® CVT HD)	✓
Memory bandwidth supported by processor (max)	76.8 GB/s	Intel® AES New Instructions (Intel® AES-NI)	✓
Processor codename	Raptor Lake	Enhanced Intel SpeedStep Technology	✓
Processor ARK ID	236846	Intel® Speed Shift Technology	✓
Memory		Intel® Gaussian & Neural Accelerator (Intel® GNA) 3.0	✓
Maximum internal memory supported by processor	192 GB	Intel® Control-flow Enforcement Technology (CET)	✓
Memory types supported by processor	DDR4-SDRAM, DDR5-SDRAM	Intel® Thread Director	✗
Memory channels *	Dual-channel	Intel VT-x with Extended Page Tables (EPT)	✓
Memory bandwidth (max)	76.8 GB/s	Intel® Secure Key	✓
Graphics		Intel® OS Guard	✓
On-board graphics card *	✓	Intel 64	✓
Discrete graphics card *	✗	Intel Virtualization Technology (VT-x)	✓
On-board graphics card model *	Intel UHD Graphics 710	Intel Virtualization Technology for Directed I/O (VT-d)	✓
On-board graphics card outputs supported	Embedded DisplayPort (eDP) 1.4b, DisplayPort 1.4a, HDMI 2.1	Intel® Boot Guard	✓
On-board graphics card base frequency	300 MHz	Intel® Deep Learning Boost (Intel® DL Boost)	✓
On-board graphics card dynamic frequency (max)	1450 MHz	Intel® Volume Management Device (VMD)	✓
Number of displays supported (on-board graphics)	4	Mode-based Execute Control (MBE)	✓
On-board graphics card DirectX version	12.0		
On-board graphics card OpenGL version	4.5		
On-board graphics card maximum resolution (DisplayPort)	7680 x 4320 pixels		

Graphics		Processor special features	
On-board graphics card maximum resolution (eDP - Integrated Flat Panel)	5120 x 3200 pixels	Intel® Standard Manageability (ISM) ✓	
On-board graphics card maximum resolution (HDMI)	4096 x 2160 pixels	Operational conditions	
On-board graphics card refresh rate at maximum resolution (DisplayPort)	60 Hz	Tjunction	100 °C
On-board graphics card refresh rate at maximum resolution (eDP - Integrated Flat Panel)	120 Hz	Technical details	
On-board graphics card refresh rate at maximum resolution (HDMI)	60 Hz	OpenCL version	3.0
On-board graphics card ID	0x4693	Launch date	Q1'24
Discrete graphics card model *	Not available	Status	Launched
Number of execution units	16	Logistics data	
Multi-Format Codec Engines	1	Harmonized System (HS) code	8542310001
Features		Weight & dimensions	
Execute Disable Bit	✓	Processor package size	45 x 37.5 mm
Idle States	✓	Other features	
Thermal Monitoring Technologies	✓	L2 cache	2560 KB
Market segment	Desktop	Maximum internal memory	192 GB
Use conditions	PC/Client/Tablet	Graphics output	eDP 1.4b, DP 1.4a, HDMI 2.1



5032037279116

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.