



## DELL UltraSharp U3425WE computer monitor 86.7 cm (34.1") 3440 x 1440 pixels Wide Quad HD LCD Black, Silver

**Brand :** DELL

**Product family:** UltraSharp

**Product code:** DELL-U3425WE

**Product name :** U3425WE

- 86.7cm (34.14") Wide Quad HD 3440 x 1440 LED IPS

- 8ms, 21:9, 300cd/m², 2000:1

- USB, HDMI, DisplayPort

86.7cm (34.14") Wide Quad HD 3440 x 1440 LED IPS, 21:9, 300cd/m², 1.07B, 8ms, 178°/178°, 2000:1

DELL UltraSharp U3425WE computer monitor 86.7 cm (34.1") 3440 x 1440 pixels Wide Quad HD LCD Black, Silver:

34-inch curved Thunderbolt™ hub monitor made for clear focus and greater comfort. Featuring 5-Star Eye Comfort and 120Hz refresh rate.

DELL UltraSharp U3425WE. Display diagonal: 86.7 cm (34.1"), Display resolution: 3440 x 1440 pixels, HD type: Wide Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black, Silver




Display		Ports & interfaces	
Display diagonal *	86.7 cm (34.1")	HDCP	✓
Display resolution *	3440 x 1440 pixels	HDCP version	1.4/2.2
HD type *	Wide Quad HD	<b>Network</b>	
Native aspect ratio *	21:9	Wi-Fi	✗
Display technology *	LCD	<b>Ergonomics</b>	
Panel type *	IPS	VESA mounting *	✓
Backlight type	LED	Panel mounting interface	100 x 100 mm
Touchscreen *	✗	Wall mountable	✓
Display brightness (typical)	300 cd/m²	Cable management	✓
Response time	8 ms	Cable lock slot *	✓
Anti-glare screen	✓	Cable lock slot type	Kensington
Screen shape *	Curved	Height adjustment *	✓
Screen curvature rating	1900R	Height adjustment	15 cm
Supported graphics resolutions	640 x 480 (VGA), 720 x 480, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800 (WXGA), 1600 x 1200, 1920 x 1080 (HD 1080), 2560 x 1440, 3440 x 1440	Pivot	✗
		Swivelling	✓
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Swivel angle range	-30 - 30°
Contrast ratio (typical) *	2000:1	Tilt adjustment	✓
Maximum refresh rate *	120 Hz	Tilt angle range	-5 - 21°
Viewing angle, horizontal	178°	On Screen Display (OSD)	✓
Viewing angle, vertical	178°	Plug and Play	✓
Display number of colours *	1.07 billion colours	LED indicators	✓
Response time (fast)	5 ms	<b>Power</b>	
Pixel pitch	0.2325 x 0.2325 mm	Energy efficiency class (SDR) *	F
Pixel density	110 ppi	Energy efficiency class (HDR) *	Not available
Horizontal scan range	25 - 185 kHz	Energy consumption (SDR) per 1000 hours *	32 kWh
Vertical scan range	48 - 120 Hz	Power consumption (typical) *	31.5 W
		Power consumption (standby) *	0.5 W

Display		Power	
Viewable size, horizontal	80 cm	Power consumption (max)	250 W
Viewable size, vertical	33.5 cm	Power consumption (off)	0.3 W
Viewable size diagonal	86.7 cm	AC input voltage	100 - 240 V
High Dynamic Range (HDR) supported	✗	AC input frequency	50/60 Hz
Surface hardness	3H	Input current	3.2 A
RGB colour space	DCI-P3	Power supply type	Internal
Colour gamut	98%	Energy efficiency scale	A to G
sRGB coverage (typical)	100%	Operational conditions	
Performance		Operating temperature (T-T)	0 - 40 °C
NVIDIA G-SYNC *	✗	Storage temperature (T-T)	-20 - 60 °C
AMD FreeSync *	✗	Operating relative humidity (H-H)	10 - 80%
Flicker-free technology	✓	Storage relative humidity (H-H)	5 - 90%
Low Blue Light technology	✓	Operating altitude	0 - 5000 m
		Non-operating altitude	5000 - 12192 m
Multimedia		Packaging content	
Built-in speaker(s) *	✓	Stand included	✓
Built-in camera *	✗	Cables included	AC, DisplayPort, HDMI, USB Type-C to USB Type-C
Number of speakers	2	Power adapter included	✓
RMS rated power	10 W	Remote control included	✗
Design		Stylus included	✗
Market positioning *	Business	Quick start guide	✓
Product colour *	Black, Silver	Weight & dimensions	
Front bezel colour	Black	Width (with stand)	813.5 mm
Detachable stand	✓	Depth (with stand)	240.4 mm
Feet colour	Silver	Height (with stand)	542.8 mm
Heavy metals free	Hg (mercury)	Weight (with stand)	7.78 kg
Ports & interfaces		Width (without stand)	813.5 mm
Built-in USB hub *	✓	Depth (without stand)	105.1 mm
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Height (without stand)	359.1 mm
USB upstream port type	USB Type-C	Weight (without stand)	10.4 kg
Number of USB Type-C upstream ports quantity	2	Bezel width (side)	9.78 mm
USB Type-A downstream ports quantity	5	Bezel width (top)	1.04 cm
USB Type-C downstream ports quantity	3	Bezel width (bottom)	1.39 cm
USB Type-C DisplayPort Alternate Mode	✓	Packaging data	
USB Power Delivery	✓	Package weight	15.1 kg
USB Power Delivery up to	90 W	Sustainability	
HDMI *	✓	Sustainability compliance	✓
HDMI ports quantity	1	Sustainability certificates	ENERGY STAR, RoHS, TCO
HDMI version	2.1	Doesn't contain	PVC/BFR
DisplayPorts quantity	1	European Product Registry for Energy Labelling (EPREL) code	1777749
DisplayPort version	1.4	Other features	
Thunderbolt 4 ports quantity	2	Ethernet LAN (RJ-45) ports	1
Headphone out *	✓		
Headphone outputs	1		



5397184821503



0884116452034



884116452034

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-MAY-2024. Prints or copies of Information are only valid on the printed Publication date