## îiyama

## iiyama ProLite XU2493HS-B6 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

**Product name:** XU2493HS-B6

iiyama ProLite XU2493HS-B6. Display diagonal: 60.5 cm (23.8"), Display resolution:  $1920 \times 1080$  pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 0.5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal:  $178^\circ$ , Viewing angle, vertical:  $178^\circ$ . Built-in speaker(s). VESA mounting. Product colour: Black











Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Touchscreen *	60.5 cm (23.8")  1920 x 1080 pixels  Full HD  16:9  LED  IPS  250 cd/m²  0.5 ms  Matt  Flat  1300:1  80000000:1  100 Hz  178°  16.7 million colours  0.275 x 0.275 mm	Headphone out *   Headphone outputs	
Display brightness (typical) Response time Display surface Screen shape * Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch		Cable lock slot * Cable lock slot type Height adjustment * Pivot Pivot angle Swivelling Swivel angle range Tilt angle range On Screen Display (OSD) On Screen Display (OSD) languages	Kensington
Viewable size, horizontal Viewable size, vertical	52.7 cm	Power	
Digital horizontal frequency Display diagonal (metric) sRGB coverage (typical) NTSC coverage (typical)	29.6 cm 30 - 115 kHz 60.5 cm 96% 72%	Energy efficiency class (SDR) * Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage	E 16 W 0.5 W 0.3 W 100 - 240 V
Performance		AC input voicage  AC input frequency	50/60 Hz
Flicker-free technology Low Blue Light technology	<b>✓</b>	Energy efficiency scale	A to G
Multimedia	·	Packaging content	
Built-in speaker(s) * Number of speakers	<b>√</b> 2	Stand included Cables included	AC, HDMI

Multimedia		Packaging content	
RMS rated power	4 W	Quick start guide	1
Design		Weight & dimensions	
Market positioning *	Business	Width (with stand)	539.5 mm
Product colour *	Black	Depth (with stand)	209.5 mm
Feet colour	Black	Height (with stand)	493 mm
Ports & interfaces		Weight (with stand)	5.1 kg
HDMI *	1	Sustainability	
HDMI ports quantity	1	Sustainability compliance	✓
DisplayPorts quantity	1	Sustainability certificates	CE, EAC, ErP, PSE, REACH, RoHS, TCO, TÜV mark, UKCA, VCCI, WEEE



4948570123834

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.