



## DELL P Series P2425E computer monitor 61.1 cm (24.1") 1920 x 1200 pixels WUXGA LCD Black

**Brand :** DELL

**Product family:** P Series

**Product code:** DELL-P2425E

**Product name :** P2425E

- 61.1cm (24.07") WUXGA 1920 x 1200 LED IPS

- 8ms, 16:10, 300cd/m<sup>2</sup>, 1500:1

- USB, HDMI, DisplayPort

61.1cm (24.07") WUXGA 1920 x 1200 LED IPS, 16:10, 300cd/m<sup>2</sup>, 16.7M, 8ms, 178°/178°, 1500:1

DELL P Series P2425E computer monitor 61.1 cm (24.1") 1920 x 1200 pixels WUXGA LCD Black:

Certified by TÜV for 4-star eye comfort, this 16:10 hub monitor offers enhanced visual comfort and offers up to 90W of power delivery.

DELL P Series P2425E. Display diagonal: 61.1 cm (24.1"), Display resolution: 1920 x 1200 pixels, HD type: WUXGA, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black




Display		Ergonomics	
Display diagonal *	61.1 cm (24.1")	VESA mounting *	✓
Display resolution *	1920 x 1200 pixels	Panel mounting interface	100 x 100 mm
HD type *	WUXGA	Cable management	✓
Native aspect ratio *	16:10	Cable lock slot *	✓
Display technology *	LCD	Cable lock slot type	Kensington
Panel type *	IPS	Height adjustment *	✓
LED backlight	✓	Height adjustment	15 cm
Backlight type	LED	Pivot	✓
Touchscreen *	✗	Pivot angle	-90 - 90°
Display brightness (typical)	300 cd/m <sup>2</sup>	Swivelling	✓
Response time	8 ms	Swivel angle range	-45 - 45°
Anti-glare screen	✓	Tilt adjustment	✓
Screen shape *	Flat	Tilt angle range	-5 - 21°
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 1200, 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)	On Screen Display (OSD)	✓
		Plug and Play	✓
		LED indicators	✓
		<b>Power</b>	
Supported video modes	480p, 576p, 720p, 1080p	Energy efficiency class (SDR) *	D
Contrast ratio (typical) *	1500:1	Energy efficiency class (HDR) *	Not available
Maximum refresh rate *	100 Hz	Energy consumption (SDR) per 1000 hours *	15 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	15 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.3 W
Display number of colours *	16.7 million colours	Power consumption (max)	190 W
Response time (fast)	5 ms	Power consumption (off)	0.3 W
Pixel pitch	0.27 x 0.27 mm	AC input voltage	100 - 240 V
Pixel density	94.07 ppi	AC input frequency	50/60 Hz
Horizontal scan range	30 - 122 kHz	Input current	2 A
Vertical scan range	48 - 100 Hz	Power supply type	Internal

<b>Display</b>		<b>Power</b>	
Viewable size, horizontal	51.8 cm	Energy efficiency scale	A to G
Viewable size, vertical	32.4 cm	<b>Operational conditions</b>	
Viewable size diagonal	61.1 cm	Operating temperature (T-T)	0 - 40 °C
Surface hardness	3H	Storage temperature (T-T)	-20 - 60 °C
sRGB coverage (typical)	99%	Operating relative humidity (H-H)	10 - 80%
Dell ComfortView technology	✓	Storage relative humidity (H-H)	5 - 90%
<b>Performance</b>		Operating altitude	0 - 5000 m
NVIDIA G-SYNC *	✗	Non-operating altitude	0 - 12192 m
AMD FreeSync *	✗	<b>Packaging content</b>	
Flicker-free technology	✓	Stand included	✓
Low Blue Light technology	✓	Cables included	AC, DisplayPort, USB
Windows operating systems supported	Windows 10, Yes	Quick start guide	✓
Mac operating systems supported	MacOS	DisplayPort cable length	1.8 m
<b>Multimedia</b>		<b>Weight &amp; dimensions</b>	
Built-in speaker(s) *	✗	Width (with stand)	531.8 mm
Built-in camera *	✗	Depth (with stand)	181.8 mm
<b>Design</b>		Height (with stand)	364 mm
Product colour *	Black	Weight (with stand)	5.02 kg
Front bezel colour	Black	Width (without stand)	531.8 mm
Feet colour	Grey	Depth (without stand)	50 mm
<b>Ports &amp; interfaces</b>		Height (without stand)	343.7 mm
Built-in USB hub *	✓	Weight (without stand)	3.51 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Bezel width (side)	6.7 mm
Number of USB Type-C upstream ports quantity	1	Bezel width (top)	6.7 mm
USB Type-A downstream ports quantity	3	Bezel width (bottom)	1.3 cm
USB Type-C downstream ports quantity	1	<b>Packaging data</b>	
USB Type-C DisplayPort Alternate Mode	✓	Package weight	7.12 kg
USB Power Delivery	✓	USB cable length	1 m
USB Power Delivery up to	90 W	<b>Sustainability</b>	
HDMI *	✓	Sustainability compliance	✓
HDMI ports quantity	1	Sustainability certificates	ENERGY STAR, RoHS, TCO, TÜV mark
HDMI version	1.4	Doesn't contain	Arsenic, Mercury, PVC/BFR
DisplayPorts quantity	2	<b>Brand-specific features</b>	
DisplayPort version	1.4	Dell Display Manager (DDM) compatibility	✓
Headphone out *	✗	<b>Other features</b>	
HDCP	✓	RJ-45 ports quantity	1
HDCP version	1.4		
AC (power) in	✓		



5397184821688



0884116468653



884116468653

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.