



DELL P Series P2425H_WOST computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product family: P Series

Product code: DELL-P2425HWO



Product name : P2425H_WOST

- 61.0cm (24") Full HD 1920 x 1080 LED IPS
- 8ms, 16:9, 250cd/m², 1500:1
- USB, VGA, HDMI, DisplayPort
- 61.0cm (24") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m², 16.7M, 8ms, 178°/178°, 1500:1

DELL P Series P2425H_WOST computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LCD Black:

Stay productive. Get enhanced visual comfort and seamless connectivity with this FHD monitor (without stand), certified by TÜV for 4-star eye comfort.

DELL P Series P2425H_WOST. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1), VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	61 cm (24")	AC (power) in	✓
Display resolution *	1920 x 1080 pixels	Ergonomics	
HD type *	Full HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LCD	Cable management	✓
Panel type *	IPS	Cable lock slot *	✓
LED backlight	✓	Cable lock slot type	Kensington
Backlight type	LED	Height adjustment *	✓
Touchscreen *	✗	Height adjustment	15 cm
Display brightness (typical)	250 cd/m ²	Pivot	✓
Response time	8 ms	Pivot angle	-90 - 90°
Anti-glare screen	✓	Swivelling	✓
Screen shape *	Flat	Swivel angle range	-45 - 45°
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)	Tilt adjustment	✓
		Tilt angle range	-5 - 21°
		On Screen Display (OSD)	✗
		Plug and Play	✓
Supported video modes	480p, 576p, 720p, 1080p	LED indicators	✓
Contrast ratio (typical) *	1500:1	Power	
Maximum refresh rate *	100 Hz	Energy efficiency class (SDR) *	C
Viewing angle, horizontal	178°	Energy efficiency class (HDR) *	Not available
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours *	12 kWh
Display number of colours *	16.7 million colours	Power consumption (typical) *	11.7 W
Response time (fast)	5 ms	Power consumption (standby) *	0.3 W
Pixel pitch	0.2745 x 0.2745 mm	Power consumption (max)	65 W
Pixel density	92.53 ppi	Power consumption (off)	0.3 W
Horizontal scan range	30 - 110 kHz	AC input voltage	100 - 240 V
Vertical scan range	48 - 100 Hz		
Viewable size, horizontal	52.7 cm		

Display		Power	
Viewable size, vertical	29.6 cm	AC input frequency	50/60 Hz
Viewable size diagonal	60.5 cm	Input current	1.5 A
Surface hardness	3H	Power supply type	Internal
sRGB coverage (typical)	99%	Energy efficiency scale	A to G
Dell ComfortView technology	✓	Operational conditions	
Performance		Operating temperature (T-T)	0 - 40 °C
NVIDIA G-SYNC *	✗	Storage temperature (T-T)	-20 - 60 °C
AMD FreeSync *	✗	Operating relative humidity (H-H)	10 - 80%
Flicker-free technology	✓	Storage relative humidity (H-H)	5 - 90%
Low Blue Light technology	✓	Operating altitude	0 - 5000 m
Windows operating systems supported	Windows 10, Yes	Non-operating altitude	0 - 12192 m
Mac operating systems supported	MacOS	Packaging content	
Multimedia		Stand included	✗
Built-in speaker(s) *	✗	Cables included	AC, DisplayPort, HDMI, USB Type-A
Built-in camera *	✗	Quick start guide	✓
Design		DisplayPort cable length	1.8 m
Product colour *	Black	HDMI cable length	1.8 m
Front bezel colour	Black	Weight & dimensions	
Ports & interfaces		Width (without stand)	538.6 mm
Built-in USB hub *	✓	Depth (without stand)	50 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Height (without stand)	314.2 mm
Number of USB Type-B upstream ports quantity	1	Weight (without stand)	3.12 kg
USB Type-A downstream ports quantity	3	Bezel width (side)	5.8 mm
USB Type-C downstream ports quantity	1	Bezel width (top)	5.8 mm
USB Power Delivery	✓	Bezel width (bottom)	1.2 cm
USB Power Delivery up to	15 W	Packaging data	
VGA (D-Sub) ports quantity	1	Package weight	5.34 kg
HDMI *	✓	USB cable length	1.8 m
HDMI ports quantity	1	Sustainability	
HDMI version	1.4	Sustainability compliance	✓
DisplayPorts quantity	1	Sustainability certificates	TÜV mark
DisplayPort version	1.2	Doesn't contain	Arsenic, Mercury, PVC/BFR
Headphone out *	✗	Brand-specific features	
HDCP	✓	Dell Display Manager (DDM) compatibility	✓
HDCP version	1.4		



5397184821718

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-APR-2024. Prints or copies of Information are only valid on the printed Publication date