D-Link

D-Link DGS-105 Unmanaged Black

Brand : D-Link

Product name : DGS-105

Product code: DGS-105/B

DGS-105 - 5-Port 10/100/1000 Gigabit Metal Housing Desktop Switch, Auto MDI/MDIX, Full/half-duplex, Jumbo Frames, 10 Gbps, QoS, Black
D-Link DGS-105. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports quantity: 5. Full duplex. MAC address table: 2000 entries, Switching capacity: 10 Gbit/s. Networking standards: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Power connector: DC-in jack

Management features	
Switch type *	Unmanaged
Quality of Service (QoS) support	✔

Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity *	5
Power connector	DC-in jack

Network	
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x
10G support *	✔
Copper ethernet cabling technology	1000BASE-T, 100BASE-TX, 10BASE-T
Full duplex	✔
Flow control support	✔
Auto MDI/MDI-X	✔

Data transmission	
Supported data transfer rates	10/100/1000 Mbps
Switching capacity *	10 Gbit/s
MAC address table *	2000 entries
Store-and-forward	✔
Maximum data transfer rate	1 Gbit/s
Jumbo frames support	✔
Packet buffer memory	0.128 MB

Security	
MAC address filtering	✔

Design	
Rack mounting *	✘
Product colour	Black
Housing material	Metal
Certification	FCC Class B, ICES-003 Class B, CE Class B, C-Tick Class B, VCCI Class B, cUL, CB, RoHS

Performance	
Mean time between failures (MTBF)	1688338 h

Technical details	
Shipping (inner) case height	36.6 cm
Shipping (inner) case width	23 cm
Shipping (inner) case length	33.5 cm
Shipping (inner) case net weight	5 kg

Technical details	
Products per shipping (inner) case	10 pc(s)
Pallet gross weight (air)	452.5 kg
Master (outer) cases per pallet (air)	75 pc(s)
Products per pallet (air)	750 pc(s)
Pallet gross length	110 cm
Pallet gross width	120 cm
Pallet height (air)	2.04 m
Pallet gross weight (sea)	452.5 kg
Master (outer) cases per pallet (sea)	75 pc(s)
Products per pallet (sea)	750 pc(s)
Pallet height (sea)	2.04 m
Shipping (inner) case gross weight	5.7 kg

Power	
Input current	1 A
Input voltage	5 V
Power consumption (typical)	2.1 W

Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✘

Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-10 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions	
Weight	286 g

Packaging data	
Package width	170 mm
Package depth	220 mm
Package height	62 mm
Package weight	500 g

Logistics data	
Harmonized System (HS) code	85176990

Other features	
Data transfer rate	2000 Mbit/s
Dimensions (WxDxH)	100 x 98 x 28 mm
Connectivity technology	Wired

0790069368219

790069368219