

Epson WorkForce DS-5000N Flatbed scanner 600 x 600 DPI A3 White



Brand : Epson

Product code: B11B204131BU

Product name : WorkForce DS-5000N

WorkForce DS-5000N, 600 dpi x 600 dpi, Flatbed, Mono: 4 s/p - Colour: 4 s/p, TWAIN, WIA, ISIS, Ethernet

Epson WorkForce DS-5000N. Optical scanning resolution: 600 x 600 DPI, Input colour depth: 48 bit, Output colour depth: 24 bit. Scanner type: Flatbed scanner, Product colour: White, Display: LCD. Light source: ReadyScan LED, Scan file formats: JPG, PDF, TIFF, Scan drivers: ISIS, TWAIN, WIA. Maximum ISO A-series paper size: A3, Scanning media types supported: Plastic Card, Recycled paper, Transparencies, ISO A-series sizes (A0...A9): A3, A4, A5, A6. Standard interfaces: Ethernet

Scanning		Packaging data	
Optical scanning resolution *	600 x 600 DPI	Package width	635 mm
Colour scanning	✓	Package depth	844 mm
Duplex scanning *	✗	Package height	360 mm
Input colour depth	48 bit	Package weight	19 kg
Output colour depth	24 bit		
Film scanning	✗	System requirements	
ADF scan speed (b/w, A4)	15 ppm	Windows operating systems supported Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	
ADF scan speed (colour, A4)	15 ppm		
Flatbed scan speed (b/w, A4)	4 sec/page		
Design		Mac operating systems supported ✓	
Scanner type *	Flatbed scanner	Server operating systems supported Windows Server 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 R2	
Product colour *	White		
Display	LCD		
Built-in display *	✓		
Performance		Operational conditions	
Light source	ReadyScan LED	Operating temperature (T-T)	5 - 35 °C
Scan file formats	JPG, PDF, TIFF	Storage temperature (T-T)	-25 - 60 °C
Scan drivers	ISIS, TWAIN, WIA	Operating relative humidity (H-H)	10 - 80%
Scanning noise level	54.9 dB	Storage relative humidity (H-H)	10 - 85%
Paper handling		Weight & dimensions	
Scanning media types supported	Plastic Card, Recycled paper, Transparencies	Width	640 mm
Maximum ISO A-series paper size *	A3	Depth	468 mm
ISO A-series sizes (A0...A9)	A3, A4, A5, A6	Height	156 mm
ISO B-series sizes (B0...B9)	B6	Weight	15.3 kg
Letter	✓	Packaging content	
Legal	✓	Drivers included	✓
Ports & interfaces			
Standard interfaces	Ethernet		
Power			
Power supply type *	AC		
Power consumption (typical)	28.5 W		
Power consumption (standby)	4.1 W		
Power consumption (PowerSave)	12.5 W		
AC input frequency	50 - 60 Hz		
Input voltage	100-240 V		
Network			
Ethernet LAN	✓		
Supported network protocols	TCP/IP, DHCP, DNS, SNMP, SLP, HTTP		

Features		Packaging content	
Country of origin	China		
Packaging data			
Quantity per pack	1 pc(s)	Bundled software	ABBYY FineReader® Sprint 8.0 (MacOS), ABBYY FineReader® Sprint 9.0 (Windows), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Event Manager (Mac Only), Epson Scan, EpsonNet Config
Technical details			
Sustainability certificates			ENERGY STAR
Logistics data			
Products per pallet			5 pc(s)
Pallet gross length			120 cm
Pallet gross width			80 cm
Pallet gross height			162.5 cm
Products per pallet layer			1 pc(s)
Products per pallet layer (UK)			1 pc(s)
Products per pallet (UK)			5 pc(s)
Pallet length (UK)			120 cm
Pallet width (UK)			100 cm
Pallet height (UK)			162.5 cm
Harmonized System (HS) code			84716070



8715946510859

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-FEB-2023. Prints or copies of Information are only valid on the printed Publication date