

Epson WorkForce DS-6000N Flatbed & ADF scanner 600 x 600 DPI A3 White



Brand : Epson

Product code: B11B204231BU

Product name : WorkForce DS-6000N

WorkForce DS-6000N, 600 dpi x 600 dpi, ReadyScan LED technology, Monochrome: 40 Pages/min - Colour: 40 Pages/min, 5.000 Pages, TWAIN

Epson WorkForce DS-6000N. Maximum scan size: 297 x 2.540 mm, Optical scanning resolution: 600 x 600 DPI, Input colour depth: 48 bit. Scanner type: Flatbed & ADF scanner, Product colour: White, Display: LED. Sensor type: CIS, Daily duty cycle (max): 5000 pages, Light source: ReadyScan LED. Auto document feeder (ADF) input capacity: 200 sheets. Maximum ISO A-series paper size: A3, Scanning media types supported: Plastic Card, Thin paper, Transparencies, ISO A-series sizes (A0...A9): A3, A4, A5, A6



Scanning		Features	
Maximum scan size *	297 x 2.540 mm	Country of origin	China
Optical scanning resolution *	600 x 600 DPI	Packaging data	
Colour scanning	✓	Quantity per pack	1 pc(s)
Duplex scanning *	✓	Package width	750 mm
Input colour depth	48 bit	Package depth	880 mm
Output colour depth	24 bit	Package height	550 mm
ADF scan speed (b/w, A4)	40 ppm	Package weight	35.2 kg
ADF scan speed (colour, A4)	40 ppm	System requirements	
Duplex ADF scan speed (b/w, A4)	80 ipm	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	
Duplex ADF scan speed (colour, A4)	80 ipm		
Design			
Scanner type *	Flatbed & ADF scanner		
Product colour *	White		
Display	LED		
Built-in display *	✓		
Performance			
Sensor type *	CIS		
Light source	ReadyScan LED		
Daily duty cycle (max) *	5000 pages	Windows operating systems supported	
Scan drivers	TWAIN, WIA	Mac operating systems supported	✓
Scanning noise level	67.9 dB	Linux operating systems supported	✓
Input capacity		Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2008 R2
Auto document feeder (ADF) input capacity	200 sheets	Operational conditions	
Paper handling		Operating temperature (T-T)	5 - 35 °C
Scanning media types supported	Plastic Card, Thin paper, Transparencies	Storage temperature (T-T)	-25 - 60 °C
Maximum ISO A-series paper size *	A3	Operating relative humidity (H-H)	10 - 80%
ISO A-series sizes (A0...A9)	A3, A4, A5, A6	Storage relative humidity (H-H)	10 - 85%
ISO B-series sizes (B0...B9)	B4, B5, B6	Weight & dimensions	
Letter	✓	Width	640 mm
Legal	✓	Depth	522 mm
Auto Document Feeder (ADF) media weight	35 - 128 g/m ²	Height	289 mm
Ports & interfaces		Weight	27.4 kg
Standard interfaces	Ethernet		
Power			
Power supply type *	AC		
Power consumption (typical)	82 W		
Power consumption (standby)	4.1 W		
Power consumption (PowerSave)	16 W		

Power		Packaging content	
AC input frequency	50 - 60 Hz	Drivers included	✓
Input voltage	100-240 V		ABBYY FineReader® Sprint 8.0 (MacOS), ABBYY FineReader® Sprint 9.0 (Windows), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Event Manager (Mac Only), Epson Scan, EpsonNet Config
Network		Bundled software	
Ethernet LAN	✓		
Supported network protocols	TCP/IP, DHCP, DNS, SNMP, SLP, HTTP		
Technical details			
Sustainability certificates		ENERGY STAR	
Harmonized System (HS) code		84716070	
Logistics data			
Products per pallet		3 pc(s)	
Pallet gross length		120 cm	
Pallet gross width		80 cm	
Pallet gross height		103.5 cm	
Products per pallet layer		1 pc(s)	
Products per pallet layer (UK)		1 pc(s)	
Products per pallet (UK)		3 pc(s)	
Pallet length (UK)		120 cm	
Pallet width (UK)		100 cm	
Pallet height (UK)		103.5 cm	



8715946510842

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.