

## Epson WorkForce DS-70000 Flatbed & ADF scanner 600 x 600 DPI A3 White

**Brand :** Epson

**Product code:** B11B204331BY

**Product name :** WorkForce DS-70000

WorkForce DS-70000, 600 dpi x 600 dpi, 297x2.540mm, 48/16bit, ReadyScan LED technology, 8000ppm, USB 2.0 Type B, Gigabit ethernet (optional)

Epson WorkForce DS-70000. Maximum scan size: 297 x 2540 mm, Optical scanning resolution: 600 x 600 DPI, Input colour depth: 48 bit. Scanner type: Flatbed & ADF scanner, Product colour: White, Display: LCD. Daily duty cycle (max): 8000 pages, Light source: ReadyScan LED, Scan file formats: JPG, PDF, TIFF. Auto document feeder (ADF) input capacity: 200 sheets. Maximum ISO A-series paper size: A3, Scanning media types supported: Envelopes, Plain paper, Recycled paper, Thick paper, Thin paper, Transparencies, ISO A-series sizes (A0...A9): A3, A4, A5, A6



Scanning		Network	
Maximum scan size *	297 x 2540 mm	Ethernet LAN	✓
Optical scanning resolution *	600 x 600 DPI	<b>Features</b>	
Colour scanning	✓	Country of origin	China
Duplex scanning *	✓	<b>Packaging data</b>	
Input colour depth	48 bit	Quantity per pack	1 pc(s)
Output colour depth	24 bit	Package width	745 mm
Film scanning	✗	Package depth	875 mm
ADF scan speed (b/w, A4)	70 ppm	Package height	534 mm
ADF scan speed (colour, A4)	70 ppm	Package weight	35 kg
Duplex ADF scan speed (b/w, A4)	140 ipm	<b>System requirements</b>	
Duplex ADF scan speed (colour, A4)	140 ipm	Windows operating systems supported	Windows 2000 Professional, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
<b>Design</b>		Mac operating systems supported	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion
Scanner type *	Flatbed & ADF scanner	Server operating systems supported	Windows Server 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 R2
Product colour *	White	<b>Operational conditions</b>	
Display	LCD	Operating temperature (T-T)	5 - 35 °C
Built-in display *	✗		
<b>Performance</b>			
Light source	ReadyScan LED		
Scan file formats	JPG, PDF, TIFF		
Daily duty cycle (max) *	8000 pages		
Scan drivers	ISIS, TWAIN, WIA		
Scanning noise level	67.9 dB		
<b>Input capacity</b>			
Auto document feeder (ADF) input capacity	200 sheets		
<b>Paper handling</b>			
Scanning media types supported	Envelopes, Plain paper, Recycled paper, Thick paper, Thin paper, Transparencies		
Maximum ISO A-series paper size *	A3		
ISO A-series sizes (A0...A9)	A3, A4, A5, A6		
ISO B-series sizes (B0...B9)	B4, B5, B6		
Letter	✓		
Legal	✓		
Auto Document Feeder (ADF) media weight	35 - 128 g/m <sup>2</sup>		

Ports & interfaces		Operational conditions	
USB port *	✓	Storage temperature (T-T)	-25 - 60 °C
USB version	2.0	Operating relative humidity (H-H)	10 - 80%
Optional connectivity	Ethernet	Storage relative humidity (H-H)	10 - 85%
Standard interfaces	USB 2.0	Weight & dimensions	
Power		Width	640 mm
Power supply type *	AC	Depth	522 mm
Power consumption (typical)	79 W	Height	289 mm
Power consumption (standby)	1.5 W	Weight	26.9 kg
Power consumption (PowerSave)	12.5 W	Packaging content	
AC input frequency	50 - 60 Hz	Drivers included	✗
Input voltage	100-240 V	Bundled software	ABBYY FineReader® Sprint 8.0 (MacOS), ABBYY FineReader® Sprint 9.0 (Windows), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Event Manager (Mac Only), Epson Scan, EpsonNet Config
Technical details		Sustainability certificates	ENERGY STAR
Logistics data		Products per pallet	3 pc(s)
		Pallet gross length	120 cm
		Pallet gross width	80 cm
		Pallet gross height	180 cm
		Products per pallet layer	1 pc(s)
		Products per pallet layer (UK)	1 pc(s)
		Products per pallet (UK)	3 pc(s)
		Pallet length (UK)	120 cm
		Pallet width (UK)	100 cm
		Pallet height (UK)	180 cm
		Harmonized System (HS) code	84716070

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-MAR-2023. Prints or copies of Information are only valid on the printed Publication date