

Epson WorkForce DS-7500 Flatbed & ADF scanner 600 x 2400 DPI A4 White



Brand : Epson

Product code: B11B205331BY

Product name : WorkForce DS-7500

WorkForce DS-7500, 1200 dpi x 1200 dpi, 216 mm x 1016 mm, ReadyScan LED technology, 48/24 bits, USB 2.0

Epson WorkForce DS-7500. Maximum scan size: 216 x 1.016 mm, Optical scanning resolution: 600 x 2400 DPI, Input colour depth: 48 bit. Scanner type: Flatbed & ADF scanner, Product colour: White, Display: LCD. Sensor type: CCD, Daily duty cycle (max): 4000 pages, Light source: LED. Auto document feeder (ADF) input capacity: 100 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Envelopes, Plain paper, Recycled paper, Thin paper, Transparencies, ISO A-series sizes (A0...A9): A4, A5, A6



Scanning

Maximum scan size *	216 x 1.016 mm
Optical scanning resolution *	600 x 2400 DPI
Colour scanning	✓
Duplex scanning *	✓
Input colour depth	48 bit
Output colour depth	24 bit
Film scanning	✗
ADF scan speed (b/w, A4)	40 ppm
ADF scan speed (colour, A4)	40 ppm
Duplex ADF scan speed (b/w, A4)	80 ipm
Duplex ADF scan speed (colour, A4)	80 ipm

Design

Scanner type *	Flatbed & ADF scanner
Product colour *	White
Display	LCD
Built-in display *	✗

Performance

Sensor type *	CCD
Light source	LED
Scan file formats	JPG, PDF, TIFF
Daily duty cycle (max) *	4000 pages
Scan drivers	ISIS, TWAIN, WIA

Input capacity

Auto document feeder (ADF) input capacity	100 sheets
---	------------

Paper handling

Scanning media types supported	Envelopes, Plain paper, Recycled paper, Thin paper, Transparencies
Maximum ISO A-series paper size *	A4
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
Letter	✓
Legal	✓
Auto Document Feeder (ADF) media weight	50 - 128 g/m ²

Ports & interfaces

USB port *	✓
USB version	2.0
Optional connectivity	Ethernet
Standard interfaces	USB 2.0

Power

AC input frequency	50 - 60 Hz
Input voltage	220-240 V

Network

Ethernet LAN	✓
--------------	---

Features

Country of origin	China
-------------------	-------

Packaging data

Quantity per pack	1 pc(s)
Package width	495 mm
Package depth	590 mm
Package height	320 mm
Package weight	12.5 kg

System requirements

Windows operating systems supported	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	✓


Operational conditions

Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-25 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	10 - 85%

Weight & dimensions

Width	495 mm
-------	--------

Power		Weight & dimensions	
Power supply type *	AC	Depth	360 mm
Power consumption (typical)	44.5 W	Height	217 mm
Power consumption (standby)	12 W	Weight	9.8 kg
Power consumption (off)	1.6 W		
Packaging content			
Bundled software	ABBYY FineReader® Sprint 8.0 (MacOS), ABBYY FineReader® Sprint 9.0 (Windows), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Event Manager (Mac Only), Epson Scan		
Technical details			
Sustainability certificates	ENERGY STAR		
Logistics data			
Products per pallet	12 pc(s)		
Pallet gross length	120 cm		
Pallet gross width	80 cm		
Pallet gross height	2.05 m		
Products per pallet layer	2 pc(s)		
Products per pallet layer (UK)	4 pc(s)		
Products per pallet (UK)	24 pc(s)		
Pallet length (UK)	120 cm		
Pallet width (UK)	100 cm		
Pallet height (UK)	2.05 m		
Harmonized System (HS) code	84716070		



8715946499680

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-APR-2024. Prints or copies of Information are only valid on the printed Publication date