



Eaton 9PX 5000i HotSwap Double-conversion (Online) 5 kVA 4500 W 6 AC outlet(s)

Brand : Eaton

Product code: 9PX5KIBP

Product name : 9PX 5000i HotSwap

5000VA, 4500W, 200-240V, 3 x IEC-320-C13, 2 x IEC-320-C19, LCD, 48kg

Eaton 9PX 5000i HotSwap Double-conversion (Online) 5 kVA 4500 W 6 AC outlet(s):

The Eaton 9PX UPS provides energy-efficient power protection for small & medium Datacentres, IT rooms and Infrastructure. Delivering double conversion protection with 40% less energy usage and 28% more power 9PX is the perfect UPS for IT and Facility managers that are concerned by energy cost and are looking for next generation power protection solutions.

Eaton 9PX 5000i HotSwap. UPS topology: Double-conversion (Online), Output power capacity: 5 kVA, Output power: 4500 W. AC outlet types: C13 coupler, C19 coupler, Terminal, Power plug: Terminal, AC outlets quantity: 6 AC outlet(s). Battery technology: Sealed Lead Acid (VRLA), Typical backup time at half load: 13 min. Form factor: Rackmount/Tower, Product colour: Black, Rack capacity: 3U. Width: 440 mm, Depth: 685 mm, Height: 130 mm



Features		Battery	
UPS topology *	Double-conversion (Online)	Battery technology	Sealed Lead Acid (VRLA)
Output power capacity *	5 kVA	Typical backup time at half load	13 min
Output power *	4500 W	Hot-swap battery	✓
Waveform *	Pure sine	Automatic battery test	✓
Input operation voltage (min) *	176 V	Design	
Input operation voltage (max) *	276 V	Form factor *	Rackmount/Tower
Input frequency *	40/70 Hz	Rack capacity	3U
Output operation voltage (min)	200 V	Product colour *	Black
Output operation voltage (max)	240 V	Display type	LCD
Output frequency	50/60 Hz	LED indicators	✓
Number of input phases	1	Safety	IEC/EN 62040-1, UL 1778
Efficiency	94%	Certification	IEC/EN 62040-1, UL 1778, IEC/EN 62040-2, FCC Class A, IEC/EN 62040-3 (Performance), CE, CB report (TUV), UL
Power factor	0.9	Operational conditions	
Output power factor	0.9	Operating temperature (T-T)	0 - 40 °C
Crest factor	3:1	Technical details	
Output voltage Total Harmonic Distortion (THD)	2%	Sustainability certificates	ENERGY STAR
Input current Total Harmonic Distortion (THD)	5%	Harmonized System (HS) code	85078000
Noise level	45 dB	Weight & dimensions	
Ports & interfaces		Width	440 mm
AC outlet types	C13 coupler, C19 coupler, Terminal	Depth	685 mm
Power plug	Terminal	Height	130 mm
AC outlets quantity	6 AC outlet(s)	Weight	48 kg
USB port	✓	Packaging data	
USB 2.0 ports quantity	1	Management card included	✗
RS-232 ports	1	Bundled software	Intelligent Power Software suite
		Other features	
		Nominal output voltage	230 V
		Nominal input voltage	230 V



0743172040534



743172040534



0743172039330



743172039330

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.