Eaton 9SX5KiRT 5 kVA 4500 W 10 AC outlet(s)

Brand : Eaton

Product code: 9SX5KIRT

Product name : 9SX5KiRT

5000VA, 4500W, 200 - 240V, 8 x IEC-320-C13, 2 x IEC-320-C19, 45dB, 48kg

Eaton 9SX5KiRT 5 kVA 4500 W 10 AC outlet(s):

The Eaton 9SX UPS offers high availability, flexibility and advanced protection for infrastructure, industrial, medical, IT, networking, storage and telecom. Delivering on-line double conversion protection in versatile Rack/Tower format with up to 95% efficiency.

Eaton 9SX5KiRT. Output power capacity: 5 kVA, Output power: 4500 W, Input operation voltage (min): 176 V. AC outlet types: C13 coupler, C19 coupler, AC outlets quantity: 10 AC outlet(s). Form factor: Rackmount/Tower, Product colour: Black, Display type: LCD. Width: 130 mm, Depth: 685 mm, Height: 440 mm. Output connections: 8 x IEC-320-C13 & 2 x IEC-320-C19, Nominal output voltage: 200-240 V, Nominal input voltage: 200-240 V

Features		Ports & interfaces	
Output power capacity * Output power * Input operation voltage (min) *	5 kVA 4500 W 176 V	USB 2.0 ports quantity RS-232 ports	1 1
Input operation voltage (min) * Input operation voltage (max) * Input frequency * Output operation voltage (min) Output operation voltage (max) Efficiency Crest factor Output voltage Total Harmonic Distortion (THD) Input current Total Harmonic	276 V 50/60 Hz 200 V 240 V 98% 3:1 2%	Design Form factor * Product colour * Display type Safety Certification Operational conditions Operating temperature (T-T)	Rackmount/Tower Black LCD IEC/EN 62040-1, UL 1778, CSA 22.2 IEC/EN 62040 -2, FCC Class A, IEC/EN 62040-3 CE, CB (TUV), UL
Distortion (THD) Noise level Ports & interfaces	45 dB	Technical details Harmonized System (HS) code	85078000
AC outlet types AC outlets quantity	C13 coupler, C19 coupler 10 AC outlet(s)	Weight & dimensions Width Depth Height Weight	130 mm 685 mm 440 mm 48 kg

Publication date: 23-JAN-2023. Prints or copies of Information are only valid on the printed Publication date

Other features Output connections

Nominal output voltage

Nominal input voltage

8 x IEC-320-C13 & 2 x IEC-320-C19

200-240 V

200-240 V





743172039347

0743172039347

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.