


StarTech.com Dual Port PCI Express Gigabit Ethernet PCIe Network Card Adapter - PoE/PSE

Brand : StarTech.com


Product code: ST2000PEXPSE

Product name : Dual Port PCI Express Gigabit Ethernet PCIe Network Card Adapter - PoE/PSE



StarTech.com Dual Port PCI Express Gigabit Ethernet Network Card Adapter - 2 Port PCIe NIC 10/100/100 Server Adapter with PoE PSE

StarTech.com Dual Port PCI Express Gigabit Ethernet PCIe Network Card Adapter - PoE/PSE. Internal. Connectivity technology: Wired, Host interface: PCI Express, Interface: Ethernet. Maximum data transfer rate: 2000 Mbit/s



| Ports & interfaces | | System requirements | |
|--|--|------------------------------------|--|
| Connectivity technology * | Wired | Mac operating systems supported | Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks |
| Host interface * | PCI Express | Linux operating systems supported | ✓ |
| Interface * | Ethernet | Server operating systems supported | Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 |
| Ethernet LAN (RJ-45) ports | 2 | | |
| Power over Ethernet (PoE) ports quantity | 2 | | |
| Network | | Operational conditions | |
| Maximum data transfer rate * | 2000 Mbit/s | Operating temperature (T-T) | 0 - 55 °C |
| Networking standards * | IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x | Storage temperature (T-T) | -20 - 85 °C |
| Ethernet LAN | ✓ | Operating relative humidity (H-H) | 5 - 95% |
| Ethernet LAN data rates | 10,100,1000 Mbit/s | Sustainability | |
| Cabling technology | 10/100/1000BaseT(X) | Sustainability certificates | RoHS |
| Auto MDIX IEEE | ✓ | Weight & dimensions | |
| Full duplex | ✓ | Width | 19 mm |
| Jumbo frames support | ✓ | Depth | 195 mm |
| VLAN tagging | ✓ | Height | 68 mm |
| LAN controller | Realtek RTL8111E | Weight | 104 g |
| Design | | Packaging data | |
| Component for * | PC | Drivers included | ✓ |
| Internal * | ✓ | Low-profile bracket | ✓ |
| Chipset | Realtek - RTL8111E | Package width | 231 mm |
| LED indicators | Activity, Link, PoE | Package depth | 165 mm |
| Mean time between failures (MTBF) | 140981 h | Package height | 45 mm |
| Certification | CE, FCC, REACH | Package weight | 246 g |
| Power | | | |
| Output voltage | 48 V | | |


| System requirements | Packaging content |
|--|---|
| Windows operating systems supported | Manual ✓ Logistics data Harmonized System (HS) code 85176990 Other features Buffer size 48 KB Flow control support ✓ |
| Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 2000, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 98SE, Windows ME, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 | |



0065030849128



065030849128



0650308491286



650308491286

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.