


## StarTech.com 2 Port PCI SuperSpeed USB 3.0 Adapter Card with SATA Power

**Brand :** StarTech.com

**Product code:** PCIUSB3S22

**Product name :** 2 Port PCI SuperSpeed USB 3.0 Adapter Card with SATA Power



StarTech.com 2 Port PCI SuperSpeed USB 3.0 Adapter Card with SATA Power - Dual Port PCI USB 3 Controller Card

StarTech.com 2 Port PCI SuperSpeed USB 3.0 Adapter Card with SATA Power. Host interface: PCI, Output interface: USB 3.2 Gen 1 (3.1 Gen 1). Product colour: Red. Chipset: NEC uPD720202. Windows operating systems supported: Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium.... Width: 123 mm, Depth: 56 mm, Height: 10 mm



### Ports & interfaces

Host interface *	PCI
Output interface *	USB 3.2 Gen 1 (3.1 Gen 1)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
Internal SATA ports quantity	1

### Design

Internal *	✓
Product colour	Red

### Features

Chipset	NEC uPD720202
Harmonized System (HS) code	84733020

### Operational conditions

Operating temperature (T-T)	5 - 50 °C
Storage temperature (T-T)	-25 - 70 °C

### Operational conditions

Operating relative humidity (H-H)	15 - 90%
-----------------------------------	----------

### System requirements

Windows operating systems supported	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
-------------------------------------	--

### Technical details

Sustainability certificates	RoHS
-----------------------------	------

### Weight & dimensions

Width	123 mm
Depth	56 mm
Height	10 mm
Weight	60 g

**Packaging data**

Package width	144 mm
Package depth	175 mm
Package height	32 mm
Package weight	146 g



0065030849463



065030849463



5554442242504

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.