

StarTech.com Dual-Monitor USB 3.0 Docking Station with HDMI & DVI/VGA

Brand : StarTech.com

Product code: USB3SDOCKHDV

Product name : Dual-Monitor USB 3.0 Docking Station with HDMI & DVI/VGA

StarTech.com USB 3.0 Docking Station with HDMI and DVI/VGA - Dual Monitor - Universal Laptop Dock - Mac and Windows Compatible (USB3SDOCKHDV)

StarTech.com Dual-Monitor USB 3.0 Docking Station with HDMI & DVI/VGA. Connectivity technology: Wired, Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-B. Ethernet LAN data rates: 10,100,1000 Mbit/s, Copper ethernet cabling technology: 1000BASE-T, 100BASE-TX, 10BASE-T, Networking standards: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. Product colour: Black, Data transfer rate: 5 Gbit/s, Maximum digital resolution: 1920 x 1200 pixels. AC input voltage: 100-240 V, Input current: 0.9 A, Output voltage: 5 V. Windows operating systems supported: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Mac operating systems supported: Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.14 Mojave, Mac OS X 11.0 Big Sur,..., Other operating systems supported: ChromeOS



Ports & interfaces		Software	
Connectivity technology *	Wired	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-B		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3		
HDMI ports quantity *	1		
VGA (D-Sub) ports quantity	1		
DVI-D ports quantity	1		
Microphone in *	✓		
Headphone outputs *	1		
DC-in jack	✓	Mac compatibility	✓
Network		Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.14 Mojave, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Ethernet LAN *	✓	Other operating systems supported	ChromeOS
Ethernet LAN (RJ-45) ports	1	Operational conditions	
Ethernet LAN data rates	10,100,1000 Mbit/s	Operating temperature (T-T)	0 - 40 °C
Copper ethernet cabling technology	1000BASE-T, 100BASE-TX, 10BASE-T	Storage temperature (T-T)	-10 - 60 °C
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u	Operating relative humidity (H-H)	0 - 90%
Auto MDI/MDI-X	✓		
Full duplex	✓		
Performance			
Card reader integrated *	✗		
Data transfer rate	5 Gbit/s		
Maximum digital resolution	1920 x 1200 pixels		
Maximum analog resolution	2048 x 1152 pixels		
Cable lock slot	✓		
Cable lock slot type	Kensington		
Product colour *	Black		
Housing material	Plastic		

Performance		Sustainability	
Certification	FCC, CE, TAA, REACH	Sustainability certificates	RoHS
Power		Weight & dimensions	
AC input voltage	100-240 V	Width	178 mm
Input current	0.9 A	Depth	304 mm
Output voltage	5 V	Height	44 mm
Output current	4 A	Weight	295 g
Power consumption (typical)	20 W	Packaging data	
Power plug type	Type B	Package width	195 mm
Compatible power plug types	AU, EU, UK, US	Package depth	296 mm
		Package height	66 mm
		Package weight	878 g
Packaging content			
		Cables included	USB
		AC adapter included	✓
		Manual	✓
		Drivers included	✓
Technical details			
		Harmonized System (HS) code	84733020
Logistics data			
		Products per master (outer) case	6 pc(s)
		Master (outer) case width	215 mm
		Master (outer) case length	435 mm
		Master (outer) case height	345 mm
Other features			
		Chipset	DisplayLink - DL-3900, Genesys Logic - GL3520, Realtek - RTL8211E
		USB data transfer rates	12,480,5000 Mbit/s



0065030851299



065030851299



0125915146626



125915146626

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.