

Brother TD-2020 label printer Direct thermal Wired

Brand : Brother **Product code:** TD-2020

Product name: TD-2020

TD-2020 - 203 x 203 dpi, 63mm, 16MB SDRAM, 152.4mm/sec, USB 2.0, Serial Brother TD-2020. Print technology: Direct thermal, Print speed: 152.4 mm/sec. Connectivity technology: Wired. Product colour: Black, Grey





Printing		System requirements	
Print technology *	Direct thermal	Minimum storage drive space	70 MB
Print speed *	152.4 mm/sec	Minimum RAM	128 MB
Maximum printing width *	5.6 cm		Windows 7 Home Basic, Windows 7 Home Basic x64. Windows 7 Home
Paper handling			Premium, Windows 7 Home
Ribbon length	1 m		Premium x64, Windows 7 Professional, Windows 7
Ports & interfaces			Professional x64, Windows 7
Connectivity technology *	Wired		Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7
Ethernet LAN *	×		Ultimate x64, Windows 8, Windows
Wi-Fi *	×		8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro
USB port *	✓	Windows operating systems	x64, Windows 8 x64, Windows Vista
USB 2.0 ports quantity	1	supported	Business, Windows Vista Business
RS-232 ports	1		x64, Windows Vista Enterprise, Windows Vista Enterprise x64,
Performance			Windows Vista Home Basic,
Page description languages	ESC P		Windows Vista Home Basic x64, Windows Vista Home Premium,
Internal memory	16 MB		Windows Vista Home Premium x64,
Flash memory	8 MB		Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Built-in barcodes	CODABAR (NW-7), Code 128 (A/B/C), Code 39, EAN128, EAN13, EAN8, ITF, UPC-A, UPC-E		
Design		Operational conditions	
Product colour *	Black, Grey	Operating relative humidity (H-H)	20 - 80%
Power		Storage relative humidity (H-H)	20 - 80%
AC adapter output voltage	25 V	Operating temperature (T-T)	5 - 40 °C
AC adapter output current	6 A	Storage temperature (T-T)	-20 - 60 °C
		Weight & dimensions	
		Width	110 mm
		Depth	215 mm
		Height	172 mm

Weight & dimensions	
Weight	1.32 kg
Packaging content	
AC adapter included	✓
Technical details	
Harmonized System (HS) code	84433210
Other features	
Maximum resolution	203 x 203 pixels
LED indicators	✓











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.