

## NETGEAR ProSAFE GS724Tv4 Managed L3 Gigabit Ethernet (10/100/1000) Blue

**Brand :** NETGEAR

**Product code:** GS724T-400EUS

**Product name :** ProSAFE GS724Tv4

24 x 10/100/1000, 2 x SFP, QoS, SNMP, L3, Blue

NETGEAR ProSAFE GS724Tv4. Switch type: Managed, Switch layer: L3. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 24. Full duplex. MAC address table: 16000 entries, Switching capacity: 52 Gbit/s. Networking standards: IEEE 802.1ab, IEEE 802.1as, IEEE 802.1D, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE.... Power connector: DC-in jack. Rack mounting



| Management features                             |  | Multicast features                  |  |
|---|--|-------------------------------------|--|
| Switch type *                                   | Managed  | Multicast support                   | ✓  |
| Switch layer                                    | L3   | Number of multicast groups filtered | 512  |
| Quality of Service (QoS) support                | ✓  | Protocols                           |  |
| Web-based management                            | ✓  | Management protocols                | SNMP v1/v2                                       |
| System event log                                | ✓  | Supported network protocols         | IP   |
| Ports & interfaces                              |  | Design                              |  |
| Basic switching RJ-45 Ethernet ports quantity * | 24   | Rack mounting *                     | ✓  |
| Basic switching RJ-45 Ethernet ports type *     | Gigabit Ethernet (10/100/1000)   | Stackable *                         | ✓  |
| SFP module slots quantity                       | 2  | Product colour                      | Blue   |
| Power connector                                 | DC-in jack   | LED indicators                      | Activity, Link                                   |
| Network   |  | Certification                       | CE, FCC, VCCI, EN, C-Tick, CCC, CSA, UL/cUL, IEC |
| Networking standards *                          | IEEE 802.1ab, IEEE 802.1as, IEEE 802.1D, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3x, IEEE 802.3z | Performance                         |  |
| 10G support *                                   | ✓  | Firmware upgradeable                | ✓  |
| Copper ethernet cabling technology              | 1000BASE-T, 100BASE-T, 100BASE-TX, 10BASE-T  | Mean time between failures (MTBF)   | 567680 h   |
| Port mirroring                                  | ✓  | Power                               |  |
| Full duplex                                     | ✓  | AC input voltage                    | 100 - 240 V                                      |
| IP routing                                      | ✓  | AC input frequency                  | 50 - 60 Hz                                       |
| Flow control support                            | ✓  | Power consumption (typical)         | 17.4 W   |
| Broadcast storm control                         | ✓  | Power over Ethernet (PoE)           |  |
| Spanning tree protocol                          | ✓  | Power over Ethernet (PoE) *         | ✗  |
| VLAN support                                    | ✓  | Operational conditions              |  |
| Number of VLANs                                 | 15   | Operating temperature (T-T)         | 0 - 50 °C  |
| Optical fiber                                   |  | Storage temperature (T-T)           | -20 - 70 °C                                      |
| Fiber ethernet cabling technology               | 1000BASE-LX, 1000BASE-SX   | Operating relative humidity (H-H)   | 0 - 90%  |
|   |  | Storage relative humidity (H-H)     | 0 - 95%  |
|   |  | Operating altitude                  | 0 - 3000 m                                       |
| Data transmission                               |  | Weight & dimensions                 |  |
| Switching capacity *                            | 52 Gbit/s  | Width                               | 440 mm   |
| MAC address table *                             | 16000 entries  | Depth                               | 204 mm   |
| Number of queues                                | 8  | Height                              | 43 mm  |
| Number of static routes                         | 32   | Weight                              | 2.74 kg  |
| Packet buffer memory                            | 2 MB   | Packaging data                      |  |
| Security  |  | Cables included                     | AC   |
| DHCP features                                   | DHCP client  | Manual                              | ✓  |
| Access Control List (ACL)                       | ✓  |                                     |  |

| Security              |                | Logistics data              |          |
|-----------------------|----------------|-----------------------------|----------|
| IGMP snooping         | ✓              | Harmonized System (HS) code | 85176990 |
| Security algorithms   | HTTPS, SSL/TLS |                             |          |
| MAC address filtering | ✓              |                             |          |
| SSH/SSL support       | ✓              |                             |          |



0606449098310



606449098310

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.