StarTech.com

StarTech.com USB 3.0 SATA Hard Drive Docking Station SSD / HDD with integrated Fast Charge USB Hub and UASP For SATA 6 Gbps - White

Brand : StarTech.com

Product name : USB 3.0 SATA Hard Drive Docking Station SSD / HDD with integrated Fast Charge USB Hub and UASP For SATA 6 Gbps - White

Product code: SDOCKU33HW

StarTech.com USB 3.0 SATA Hard Drive Docking Station with Fast Charge USB Hub and UASP for SATA 6 Gbps - USB SATA HDD / SSD Dock - White
StarTech.com USB 3.0 SATA Hard Drive Docking Station SSD / HDD with integrated Fast Charge USB Hub and UASP For SATA 6 Gbps - White. Storage media type: HDD, SSD, Storage drive interface: Serial ATA, Serial ATA II, Serial ATA III, Storage drive sizes supported: 2.5,3.5". Maximum data transfer rate: 5 Gbit/s, Product colour: Silver, White, Material: Aluminium, Plastic. AC input voltage: 110-240 V, Input current: 1 A, Output voltage: 12 V. Width: 72 mm, Depth: 130 mm, Height: 55 mm. Windows operating systems supported: Windows 7 Home Basic, Windows 8, Windows XP Home, Mac operating systems supported: Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks

RoHS
2002/95/EC

Hard drive

Storage media type *	HDD, SSD
Storage drive interface *	Serial ATA, Serial ATA II, Serial ATA III
Storage drive sizes supported *	2.5,3.5"
Number of storage drives supported	1
Maximum storage capacity	4 TB

Ports & interfaces

USB 3.2 Gen 1 (3.1 Gen 1) ports quantity	4
DC-in jack	✓

Features

Maximum data transfer rate	5 Gbit/s
Product colour	Silver, White
Material	Aluminium, Plastic
Hot-swap	✓
Plug and Play	✓
LED indicators	Activity, Power
UASP support	✓
Chipset	VIA812+ASM1053E
Certification	Microsoft WHQL, CE, FCC

Cooling

Built-in fan	✗

Power

AC input voltage	110-240 V
Input current	1 A
Output voltage	12 V
Output current	3 A
Power plug type	Type M

Weight & dimensions

Width	72 mm
Depth	130 mm
Height	55 mm
Weight	350 g

Software

Windows operating systems supported	Windows 7 Home Basic, Windows 8, Windows XP Home
Linux operating systems supported	✓
Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks

Packaging content

AC adapter included	✓
Cables included	AC, USB
Manual	✓

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-20 - 50 °C
Operating relative humidity (H-H)	20 - 80%

Other features

Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)

Packaging data

Package width	90 mm
Package depth	140 mm
Package height	143 mm
Package weight	640 g

Technical details

Sustainability certificates	RoHS
Harmonized System (HS) code	84733080

0065030852685

065030852685

0014445722113

014445722113