

Linksys LGS108P-UK network switch Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Black



Brand : Linksys

Product code: LGS108P-UK

Product name : LGS108P-UK

8-Port Desktop Gigabit PoE Switch

Linksys LGS108P-UK network switch Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Black:



Features:

- Wired connection speed up to 1,000 Mbps
- 8 Gigabit Ethernet autosensing ports
- Quality of Service (QoS) traffic prioritization
- Power over Ethernet (PoE) support
- Easy plug & play connection

Linksys LGS108P-UK. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. MAC address table: 8000 entries. Networking standards: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE.... Power over Ethernet (PoE)

Management features		Power	
Switch type *	Unmanaged	Number of power supply units	1
Quality of Service (QoS) support	✓	Input current	1.2 A
Ports & interfaces		Power consumption (typical)	7 W
Basic switching RJ-45 Ethernet ports quantity *	8	Power over Ethernet (PoE)	
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power over Ethernet (PoE) *	✓
Gigabit Ethernet (copper) ports quantity	8	Power over Ethernet plus (PoE+) ports quantity	4
Network		Total Power over Ethernet (PoE) budget	50 W
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Operational conditions	
10G support *	✗	Operating temperature (T-T)	0 - 50 °C
Copper ethernet cabling technology	1000BASE-T, 100BASE-TX, 10BASE-T	Storage temperature (T-T)	-40 - 70 °C
Flow control support	✓	Operating relative humidity (H-H)	10 - 90%
Auto-sensing	✓	Storage relative humidity (H-H)	10 - 90%
Data transmission		Weight & dimensions	
Throughput	1.488 Mpps	Width	210 mm
MAC address table *	8000 entries	Depth	104 mm
Design		Height	25 mm
Rack mounting *	✗	Weight	556 g
Product colour	Black	Logistics data	
LED indicators	✓	Harmonized System (HS) code	85176990
Certification	FCC Class A, CE	Other features	
		Bandwidth	16 Gbit/s



5054533537866

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-JUN-2023. Prints or copies of Information are only valid on the printed Publication date