


StarTech.com 2 Port PCI Express (PCIe) SuperSpeed USB 3.0 Card Adapter with UASP - SATA Power

Brand : StarTech.com

Product code: PEXUSB3S24

Product name : 2 Port PCI Express (PCIe) SuperSpeed USB 3.0 Card Adapter with UASP - SATA Power



StarTech.com 2 Port PCI Express (PCIe) SuperSpeed USB 3.0 Card Adapter with UASP - SATA Power - Dual Port USB 3 PCIe Controller

StarTech.com 2 Port PCI Express (PCIe) SuperSpeed USB 3.0 Card Adapter with UASP - SATA Power. Host interface: PCIe, Output interface: USB 3.2 Gen 1 (3.1 Gen 1), Expansion card form factor: Low-profile.

Product colour: Green, Metallic, Certification: CE, FCC, TAA, REACH. Chipset: Renesas/NEC - μ PD720202, Data transfer rate (max): 5 Gbit/s. Windows operating systems supported: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Server operating systems supported: Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows.... Width: 18 mm, Depth: 65 mm, Height: 120 mm

Ports & interfaces		System requirements	
Host interface *	PCIe		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
Output interface *	USB 3.2 Gen 1 (3.1 Gen 1)		
Expansion card form factor	Low-profile		
Expansion card standard	PCIe 2.0		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2		
Design		Windows operating systems supported	
Internal *	✓		
Product colour	Green, Metallic		
Certification	CE, FCC, TAA, REACH	Linux operating systems supported ✓	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Features			
Chipset	Renesas/NEC - μ PD720202		
Data transfer rate (max)	5 Gbit/s		
UASP support	✓		
Harmonized System (HS) code	84733020	Server operating systems supported	
Operational conditions			
Operating temperature (T-T)	5 - 50 °C		
Storage temperature (T-T)	-25 - 70 °C	Weight & dimensions	
Operating relative humidity (H-H)	20 - 80%		
Width	18 mm	Packaging data	
Depth	65 mm		
Height	120 mm		
Weight	40 g		
Mounting brackets included	✓	Drivers included	✓
Drivers included	✓		

Packaging data

Manual	✓
Package width	174 mm
Package depth	145 mm
Package height	32 mm
Package weight	130 g



006503085587



06503085587



0172304231388



172304231388

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.