brother
at your side

Brother PT-P750W label printer 180 x 180 DPI 30 mm/sec Wired & Wireless HSE/TZe Wi-Fi

Brand : Brother

Product code: PT-P750W

Product name : PT-P750W

Printer Model for HSE and TZe tapes from 3.5 to 24 mm - PC connection - Wireless - 180 dpi
Brother PT-P750W. Tape type: HSE/TZe. Maximum resolution: 180 x 180 DPI, Print speed: 30 mm/sec.
Connectivity technology: Wired & Wireless. Product colour: Black

Printing	
Maximum resolution *	180 x 180 DPI
Print speed *	30 mm/sec
Maximum printing width *	2.4 cm
Maximum print height	1.8 cm
Vertical printing	✓

Paper handling	
Autocutter	✓
Maximum label width	2.4 cm
Maximum label length	4 m

Ports & interfaces	
Connectivity technology *	Wired & Wireless
Ethernet LAN *	✘
Wi-Fi *	✓
USB port *	✓
USB 2.0 ports quantity	1

Performance	
Built-in barcodes	AZTECCODE, CODABAR (NW-7), Code 39, Data Matrix, EAN128, EAN13, EAN8, GS1 COMPOSITE, GS1 DataBar, GS1-128, ISBN-2, ISBN-5, ITF-25, MaxiCode, Micro QR Code, PDF417, POSTNET, QR Code, UPC-A, UPC-E
Number of fonts	12
Tape type	HSE/TZe
Tape cutting	Automatic
Image formats supported	BMP, JPG, TIF

Design	
Product colour *	Black

System requirements	
Windows operating systems supported	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64
Mac operating systems supported	Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks

Weight & dimensions	
Width	78 mm
Depth	152 mm
Height	143 mm
Weight	800 g

Packaging data	
Package weight	1.67 kg

Packaging content	
Cables included	USB

Packaging content

Bundled software	P-touch Editor Lite
Quick start guide	✓
AC adapter included	✓
Carrying case	✓

Logistics data

Harmonized System (HS) code	84433210

Technical details

Supported batteries	LR6, HR6, BA-E001
Sustainability certificates	ENERGY STAR

Other features

Label type	3.5, 6, 9, 12, 18, 24 mm
Number of frames	154

4977766739856

4977766739832

4977766739917

4977766739894

4977766735223

7102014022429

4977766739870

0012502637226

012502637226

4977766756082

4977766741767