Canon

Canon imageFORMULA DR-M160II Sheet-fed scanner 600 x 600 DPI A4 Black

Brand : Canon Product family: Product code: 9725B003

imageFORMULA

Product name: DR-M160II

CMOS CIS, 600 dpi, RGB LED, 60ppm, USB 2.0, RoHS, Energy Star

Canon imageFORMULA DR-M160II Sheet-fed scanner 600 x 600 DPI A4 Black:

Productive, ultra-compact scanner ideal for reliable paper-intensive scanning.

The imageFORMULA DR-M160II is a productivity-boosting desktop scanner. With a robust design, fast speed and reliable media handling, it is ideal for paper-intensive scanning.

Benefits

- Class-leading colour scanning speeds of up to 120ipm
- Robust design to handle up to 7,000 scans/day
- Windows, Mac and Linux compatible
- Compactly built and highly productive
- Supreme paper-handling reliability includes paper separation retry

Canon imageFORMULA DR-M160II. Maximum scan size: 216×3000 mm, Optical scanning resolution: 600×600 DPI, Output colour depth: 24 bit. Scanner type: Sheet-fed scanner, Product colour: Black. Sensor type: CMOS CIS, Daily duty cycle (max): 7000 pages, Light source: RGB LED. Standard input capacity: 60 sheets. Maximum ISO A-series paper size: A4

Scanning		Paper handling		
Maximum scan size *	•	Maximum ISO A-series paper size *	A4	
Optical scanning resolution *		Ports & interfaces		
Colour scanning Duplex scanning * Output colour depth Output greyscale depth		USB port * USB version Standard interfaces	2.0 USB 2.0	
Film scanning		Power		
ADF scan speed (b/w, A4) 60 ADF scan speed (colour, A4) 60 Duplex ADF scan speed (b/w, A4) 12 Duplex ADF scan speed (colour, A4) 12		Power supply type * Power consumption (typical) Power consumption (standby) Power consumption (off) AC input frequency	AC 27 W 1.8 W 0.5 W 50 - 60 Hz	
Black/white scanning colour modes	Grayscale	Input voltage	100-240 V	
Design		System requirements		
Scanner type * Product colour * Built-in display *	Sheet-fed scanner Black	Windows operating systems supported Mac operating systems supported	1	
Performance		Weight & dimensions		
Sensor type * Light source Daily duty cycle (max) * Scan drivers	CMOS CIS RGB LED 7000 pages ISIS, TWAIN	Width Depth Height Weight	280 mm 606 mm 366.4 mm 3.2 kg	
Input capacity		Packaging content		
Standard input capacity	60 sheets	Drivers included Bundled software	CapturePerfect CaptureOnTouch eCopy PDF Pro Office Kofax VRS (with AIPE) Plug-in: EMC Captiva Cloud Runtime Controls	
		Technical details		
		Sustainability certificates	RoHS, ENERGY STAR	





Tec	hnic	h la	etai	ile

Harmonized System (HS) code

84716070

