## Sony HDR-CX405

Brand : Sony Product code: HDRCX405B

**Product name:** HDR-CX405

9.2MP, 1/5.8" CMOS, f=1.9 - 57.0mm, 2.7" LCD, BIONZ X

Sony HDR-CX405. Total megapixels: 9.2 MP, Sensor type: CMOS, Optical sensor size: 25.4 / 5.8 mm (1 / 5.8"). Optical zoom: 30x, Digital zoom: 350x, Focal length range: 1.9 - 57 mm. Camcorder media type: Memory card, Compatible memory cards: MicroSD (TransFlash), MicroSDHC, MicroSDXC. Focus adjustment: Auto/Manual. Light exposure modes: Auto, Scene modes: Fireworks, Landscape, Portrait, Spotlight, Beach, Snow





Image sensor		Camera	
Total megapixels * Sensor type * Optical sensor size * Effective megapixels (image) Effective megapixels (movie)	9.2 MP CMOS 25.4 / 5.8 mm (1 / 5.8") 2.29 MP 2.29 MP	Self-timer delay Minimum illumination Image processor Shooting modes 3D *	10 s 3 lx BIONZ X Auto, Movie, Scene
Lens system		Design	
Focal length range Focal length (35mm film equivalent) Optical zoom * Digital zoom * Image stabilizer *	30x 350x ✓	Product colour *  Video  HD type *  Maximum video resolution *  Video formats supported	Full HD 1920 x 1080 pixels AVC, AVCHD, H.264, MPEG4
Minimum aperture number	1.8	Still image	
Storage Camcorder media type * Compatible memory cards *	Memory card MicroSD (TransFlash), MicroSDHC, MicroSDXC	Maximum image resolution * Still image resolution(s)	4032 x 2272 pixels 640 x 480 1920 x 1080 3024 x 2272 4032 x 2272
Disc types supported	X	Image formats supported	EXIF
Camcorder tape type	X	Audio	
Focusing Focus adjustment Exposure	Auto/Manual	Audio system PCM digital audio Built-in microphone * Built-in speaker(s)	Dolby Digital 2.0 16-bit/48 kHz ✓
Light exposure modes	xposure modes Auto Fireworks, Landscape, Portrait,	Audio formats supported	AAC, PCM
Scene modes	Spotlight, Beach, Snow	Ports & interfaces	
White balance White balance Flash	Auto, Indoor, Outdoor	USB 2.0 ports quantity * Composite video out HDMI * S-Video out	1 1 •
Built-in flash *	×	Battery	
Built-in light  Shutter  Camera shutter speed	1/25 - 1/10000 s	Battery technology * Charging source Battery type	Lithium-lon (Li-lon) AC, USB NP-BX1
Display		Technical details	
Display diagonal * Built-in display * Display	6.86 cm (2.7") ✓ LCD	USB charging  Weight & dimensions  Width	<b>√</b> 540 mm
	16:9 230400 pixels	Depth Height Weight *	128 mm 595 mm 215 g

_			
Ca	m	_	ra

Camcorder type \*

Handheld camcorder









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.