## EPSON EXCEED YOUR VISION

## Epson TM-P80 203 x 203 DPI Wired & Wireless Direct thermal POS printer

Brand : Epson

Product code: C31CD70321

Product name : TM-P80

## Thermal line printing, 100 mm/sec, 203 DPI x 203 DPI, USB 2.0, Wi-Fi

Epson TM-P80. Print technology: Direct thermal, Type: POS printer, Maximum resolution: 203 x 203 DPI. Printing media thickness: 50 - 80 μm, Maximum roll diameter: 5.1 cm, Supported paper width: 79.5 mm. Connectivity technology: Wired & Wireless, USB connector: Mini-USB Type-B, Standard interfaces: USB 2.0, Wireless LAN. Wi-Fi standards: 802.11a, 802.11b, 802.11g. Sound pressure level (printing): 53 dB, Mean time between failures (MTBF): 120000 h, Country of origin: China





Printing		Power	
Maximum resolution Print speed Print speed (receipt) Character sets Print technology * Type *	203 x 203 DPI 100 mm/sec 100 mm/sec ANK Direct thermal POS printer	Battery life (max)	10 h
		Operational conditions	
		Operating temperature (T-T) Operating relative humidity (H-H)	-25 - 70 °C 10 - 90%
		Weight & dimensions	
Paper handling Printing media thickness Maximum roll diameter Supported paper width	50 - 80 μm 5.1 cm 79.5 mm	Width Depth Height Weight	110 mm 140 mm 69 mm 660 g
Media thickness	0.05 - 0.08 mm	Packaging data	
Ports & interfaces USB port * USB connector Connectivity technology * Near Field Communication (NFC) Standard interfaces	✓ Mini-USB Type-B Wired & Wireless ✓ USB 2.0, Wireless LAN	Cables included Quantity per pack Package width Package depth Package height Package weight	USB 1 pc(s) 190 mm 235 mm 172 mm 1.62 kg
Network	,	Logistics data	
Wi-Fi * Wi-Fi standards	✔ 802.11a, 802.11b, 802.11g	Harmonized System (HS) code Products per pallet Products per pallet layer	84433210 160 pc(s) 32 pc(s)
Features		Pallet gross width	80 cm
Sound pressure level (printing) Mean time between failures (MTBF) Cutter Half-cutter Country of origin Mounting position Built-in sensors details	53 dB 120000 h ✓ ✓ China Horizontal/Vertical Paper End Sensor, Cover Open	Pallet gross length120 cmPallet gross height130 cmProducts per pallet (UK)240 pc(s)Products per pallet layer (UK)48 pc(s)Pallet width (UK)100 cmPallet length (UK)120 cmPallet height (UK)130 cm	130 cm 240 pc(s) 48 pc(s) 100 cm 120 cm
Safety	Sensor UL, CSA	Technical details	
Certification	FCC-Class A, CE	Font styles Lifetime	ANK 10000000 lines

Design		Technical details	
Product colour *	Grey	Paper size roll paper	$79.50 \pm 0.50$ (W) mm x dia 51.00
Power			mm
Power plug type	Type C	Other features	
		Buffer size	0.128 KB
		Mean cycles between failures (MCBF)	16000000



8715946602882

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.