



D-Link DWL-6610AP wireless access point 1200 Mbit/s Power over Ethernet (PoE)

Brand : D-Link

Product code: DWL-6610AP

Product name : DWL-6610AP

802.11b/g/n/ac, 2.4 / 5 GHz, 1 x Gigabit Ethernet RJ-45, PoE+

[D-Link DWL-6610AP wireless access point 1200 Mbit/s Power over Ethernet \(PoE\):](#)

Next Generation Connectivity

Harness the power of Wireless AC and take advantage of combined wireless speeds of up to 1200 Mbps, perfect for high demand business applications

Enhanced Level of Performance

Experience faster and stable performance as well greater coverage with beamforming, and better managed traffic with band steering

Unparalleled Flexibility and Scalability

Used as a standalone wireless access point, self-configuring cluster or managed centrally via a D-Link Wireless Controller or Unified Switch



Features		Technical details	
2.4 GHz *	✓	Shipping (inner) case height	27.5 cm
5 GHz *	✓	Shipping (inner) case net weight	6.39 kg
Maximum data transfer rate *	1200 Mbit/s	Products per shipping (inner) case	6 pc(s)
Ethernet LAN data rates	10,100,1000 Mbit/s	Pallet gross weight (air)	200.6 kg
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3at, IEEE 802.3u	Master (outer) cases per pallet (air)	24 pc(s)
		Products per pallet (air)	144 pc(s)
		Pallet gross length	110 cm
VLAN support	✓	Pallet gross width	120 cm
Quality of Service (QoS) support	✓	Pallet height (air)	123.5 cm
Security		Pallet gross weight (sea)	332.5 kg
Security algorithms *	AES, HTTPS, SSH, TKIP, WPA, WPA2	Master (outer) cases per pallet (sea)	42 pc(s)
MAC address filtering	✓	Products per pallet (sea)	252 pc(s)
Protocols		Pallet height (sea)	2.06 m
Management protocols	SNMP	Shipping (inner) case gross weight	7.3 kg
Management features		Weight & dimensions	
Web-based management	✓	Width	158.8 mm
Ports & interfaces		Depth	158.8 mm
Ethernet LAN (RJ-45) ports *	1	Height	69.4 mm
DC-in jack	✓	Weight	500 g
Power		Packaging data	
Power over Ethernet (PoE) *	✓	Package width	243 mm
Output voltage	12 V	Package depth	235 mm
Output current	2 A	Package height	90 mm
Power consumption (max)	16.6 W	Package weight	1.06 kg
Design		Operational conditions	
Housing material	Plastic	Operating relative humidity (H-H)	10 - 90%
On/off switch	✓	Operating temperature (T-T)	0 - 40 °C
Reset button	✓	Storage temperature (T-T)	-20 - 65 °C
		Logistics data	
		Harmonized System (HS) code	85176990

Design

Certification	CE EN 301 893 V1.7.1 (2012-06) (DFS/TPC) EN 300 328 V1.8.1 (2012-06) FCC IC cUL LVD UL2043 C-Tick BSMI NCC
---------------	---

Antenna

Antenna gain level (max)	6.5 dBi
--------------------------	---------

Technical details

Shipping (inner) case length	56.5 cm
Shipping (inner) case width	34.3 cm



0790069416842




790069416842



0790069416835



790069416835



0790069416828



790069416828

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.