

## Epson TM-T88VI (551) 180 x 180 DPI Wired & Wireless Direct thermal POS printer

**Brand :** Epson

**Product code:** C31CE94551

**Product name :** TM-T88VI (551)

Thermal line printing, 350mm/sec, Receipt, USB 2.0 Type A, USB 2.0 Type B, Wired Network, Wireless LAN IEEE 802.11b/g/n, Bluetooth

Epson TM-T88VI (551). Print technology: Direct thermal, Type: POS printer, Maximum resolution: 180 x 180 DPI. Maximum roll diameter: 8.3 cm, Supported paper width: 80 mm, Media thickness: 48 - 80 mm. Connectivity technology: Wired & Wireless, USB connector: USB Type-A / USB Type-B, Standard interfaces: Bluetooth, Ethernet, USB 2.0. Mean time between failures (MTBF): 360000 h, Autocutter durability: 3 million cuts, Print head life: 200 km. Product colour: Black



Printing		Operational conditions	
Maximum resolution	180 x 180 DPI	Operating temperature (T-T)	5 - 45 °C
Print speed	300 mm/sec	Storage temperature (T-T)	-10 - 50 °C
Print speed (receipt)	350 mm/sec	Operating relative humidity (H-H)	10 - 90%
Printing characters	Text, Graphic, Barcode	Weight & dimensions	
Character sets	ANK	Width	145 mm
Print technology *	Direct thermal	Depth	195 mm
Type *	POS printer	Height	148 mm
Paper handling		Weight	1.6 kg
Maximum roll diameter	8.3 cm	Packaging data	
Supported paper width	80 mm	Quantity per pack	1 pc(s)
Media thickness	48 - 80 mm	Package width	195 mm
Ports & interfaces		Package depth	240 mm
USB port *	✓	Package height	235 mm
USB 2.0 ports quantity	2	Package weight	2.62 kg
USB connector	USB Type-A / USB Type-B	Print technology	
Bluetooth	✓	Column capacity	58/80
Connectivity technology *	Wired & Wireless	Logistics data	
Near Field Communication (NFC)	✓	Harmonized System (HS) code	84433210
Ethernet LAN (RJ-45) ports	1	Products per master (outer) case	4 pc(s)
Standard interfaces	Bluetooth, Ethernet, USB 2.0	Master (outer) case width	400 mm
Network		Master (outer) case length	490 mm
Ethernet LAN *	✓	Master (outer) case height	255 mm
Features		Products per pallet	128 pc(s)
Mean time between failures (MTBF)	360000 h	Products per pallet layer	16 pc(s)
Cutter	✓	Pallet gross width	80 cm
Half-cutter	✓	Pallet gross length	120 cm
Autocutter durability	3 million cuts	Pallet gross height	2.03 m
Print head life	200 km	Products per pallet (UK)	192 pc(s)
Country of origin	China	Products per pallet layer (UK)	24 pc(s)
Mounting position	Horizontal	Pallet width (UK)	100 cm
Wall mountable	✓	Pallet length (UK)	120 cm

Features		Logistics data	
Built-in sensors details	Paper Near End Sensor, Cover Open Sensor, Papier-Sensor	Pallet height (UK)	2.03 m
Safety	UL, CSA	Technical details	
Certification	CE, EN55024	Changeable interface	✓
Design		Lifetime	20000000 lines
Product colour *	Black	Other features	
Power		Buffer size	4 KB
Power source type *	AC	Mean cycles between failures (MCBF)	70000000
AC input voltage	24 V	Print head life	200.000.000 Impulse
Power plug type	Type C		
Power supply type	AC		



8715946622033

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 02-FEB-2023. Prints or copies of Information are only valid on the printed Publication date