

iivama ProLite T1721MSC-B1 computer monitor 43.2 cm (17") 1280 x 1024 pixels SXGA LED Touchscreen Tabletop Black

Brand : iivama

Product family: ProLite

Product code: T1721MSC-B1

Product name : T1721MSC-B1

17" (43 cm), TN LED, 1280 x 1024 px, 250 cd/m², 1000:1, 5 ms, 0.264 x 0.264 mm, 170°/ 160°, DVI, VGA, USB, IP54, VESA DDC2B, AC 100 - 240 V, 50/60 Hz, 392.5 x 364 x 198 mm

iivama ProLite T1721MSC-B1. Display diagonal: 43.2 cm (17"), Display resolution: 1280 x 1024 pixels, HD type: SXGA, Display technology: LED, Response time: 5 ms, Native aspect ratio: 5:4, Viewing angle, horizontal: 170°, Viewing angle, vertical: 160°. Built-in speaker(s). VESA mounting. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	43.2 cm (17")	Number of upstream ports	1
Display resolution *	1280 x 1024 pixels	VGA (D-Sub) ports quantity	1
HD type *	SXGA	DVI port	✓
Native aspect ratio *	5:4	DVI-D ports quantity	1
Display technology *	LED	PC Audio in	✓
Touchscreen *	✓	Ergonomics	
Touchscreen type	Tabletop	VESA mounting *	✓
Touchscreen technology	Capacitive	Panel mounting interface	100 x 100 mm
Touch technology	Multi-touch	On Screen Display (OSD) languages	German, Dutch, English, Spanish, French, Polish, Russian
Number of simultaneous touchpoints	10	Number of OSD languages	8
Response time	5 ms	Plug and Play	✓
Screen shape *	Flat	Power	
Aspect ratio	5:4	Energy efficiency class (SDR) *	F
Contrast ratio (typical) *	1000:1	Energy consumption (SDR) per 1000 hours *	14 kWh
Viewing angle, horizontal	170°	Power consumption (typical) *	20 W
Viewing angle, vertical	160°	AC input voltage	100-240 V
Display number of colours *	16.78 million colours	AC input frequency	50 - 60 Hz
Pixel pitch	0.264 x 0.264 mm	Energy efficiency scale	A to G
Digital horizontal frequency	31.4 - 80 kHz	Operational conditions	
Digital vertical frequency	56 - 75 Hz	Operating temperature (T-T)	0 - 40 °C
Display diagonal (metric)	43 cm	Storage temperature (T-T)	-20 - 60 °C
Display brightness	215 cd/m²	Operating relative humidity (H-H)	20 - 80%
Separate H/V sync	✓	Storage relative humidity (H-H)	10 - 90%
Performance		Packaging content	
NVIDIA G-SYNC *	✗	Cables included	DVI, USB, VGA
AMD FreeSync *	✗	Quick start guide	✓
Windows operating systems supported	✓	Weight & dimensions	
Mac operating systems supported	✓	Width (with stand)	392.5 mm
Linux operating systems supported	✓	Depth (with stand)	198 mm
Multimedia		Height (with stand)	364 mm
Built-in speaker(s) *	✓	Weight (with stand)	4.4 kg
Built-in camera *	✗	Width (without stand)	39.2 cm
Number of speakers	2	Depth (without stand)	4.9 cm
RMS rated power	4 W	Height (without stand)	32.8 cm
Built-in microphone	✗	Logistics data	
Design		Harmonized System (HS) code	85285210
Product colour *	Black		
International Protection (IP) code	IPX3		
Glass thickness	1.5 mm		

Design		Other features	
Certification	CE, CB, TÜV type, CU, cULus	Dimensions (W x D x H) with stand	392.5 x 198 x 364 mm
		Display viewable area (HxV)	270.5 x 338 mm
		Glass protection	✓



4948570114887

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 02-FEB-2023. Prints or copies of Information are only valid on the printed Publication date