

## Canon imageFORMULA ScanFront 400 ADF scanner 600 x 600 DPI A4 Black, White

**Brand :** Canon

**Product family:**  
imageFORMULA

**Product code:** 1255C003

**Product name :** ScanFront 400

A4, ADF, CMOS CIS, RGB LED, 600 x 600DPI, 45ppm, Duplex, Ethernet, USB 2.0, touchscreen, 40W  
Canon imageFORMULA ScanFront 400. Maximum scan size: 216 x 356 mm, Optical scanning resolution: 600 x 600 DPI, ADF scan speed (b/w, A4): 45 ppm. Scanner type: ADF scanner, Product colour: Black, White, Display: TFT. Sensor type: CMOS CIS, Daily duty cycle (max): 6000 pages, Light source: RGB LED. Auto document feeder (ADF) input capacity: 60 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Plastic Card, Post Card(JPN), ISO A-series sizes (A0...A9): A4



| Scanning                                  |   | Paper handling                          |   |
|---|---|---|---|
| Maximum scan size *                       | 216 x 356 mm                                | Auto Document Feeder (ADF) media weight | 27 - 209 g/m <sup>2</sup>   |
| Optical scanning resolution *             | 600 x 600 DPI                               | Maximum scan width                      | 21.6 cm   |
| Colour scanning                           | ✓   | Maximum scan length                     | 35.6 cm   |
| Duplex scanning *                         | ✓   | Ports & interfaces                      |   |
| Greyscale levels                          | 256   | USB port *                              | ✓   |
| ADF scan speed (b/w, A4)                  | 45 ppm                                      | USB version                             | 2.0   |
| ADF scan speed (colour, A4)               | 45 ppm                                      | Standard interfaces                     | Ethernet, USB 2.0   |
| Design                                    |   | Power                                   |   |
| Scanner type *                            | ADF scanner                                 | Power supply type *                     | AC  |
| Product colour *                          | Black, White                                | Power consumption (typical)             | 40 W  |
| Display                                   | TFT   | Power consumption (off)                 | 0.5 W   |
| Display diagonal                          | 25.6 cm (10.1")                             | AC input frequency                      | 50 - 60 Hz  |
| Display resolution                        | 1024 x 600 pixels                           | Input voltage                           | 100-240 V   |
| Touchscreen                               | ✓   | Network                                 |   |
| Built-in display *                        | ✓   | Ethernet LAN                            | ✓   |
| Performance                               |   | Supported network protocols             | TCP/IP (IPv4), DNS, DHCP, SMB, NTP, HTTP, FTP, SFTP, Secure sending (FTPS and SMTPS), WebDAV, LDAPS |
| Sensor type *                             | CMOS CIS                                    | Operational conditions                  |   |
| Light source                              | RGB LED                                     | Operating temperature (T-T)             | 10 - 32.5 °C  |
| Scan file formats                         | PDF, PNG, TIFF                              | Operating relative humidity (H-H)       | 20 - 80%  |
| Daily duty cycle (max) *                  | 6000 pages                                  | Weight & dimensions                     |   |
| Scan to                                   | E-mail, FTP, Fax, USB                       | Width                                   | 305 mm  |
| Input capacity                            |   | Depth                                   | 282 mm  |
| Auto document feeder (ADF) input capacity | 60 sheets                                   | Height                                  | 230 mm  |
| Paper handling                            |   | Weight                                  | 4.5 kg  |
| Scanning media types supported            | Business Card, Plastic Card, Post Card(JPN) | Technical details                       |   |
| Maximum ISO A-series paper size *         | A4  | Panel type                              | TFT   |
| ISO A-series sizes (A0...A9)              | A4  | Sustainability certificates             | RoHS, ENERGY STAR   |
| Media thickness (min)                     | 0.04 mm                                     | Logistics data                          |   |
|   |   | Harmonized System (HS) code             | 84716070  |



4528472107110

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-JAN-2023. Prints or copies of Information are only valid on the printed Publication date