Brother HL-L8260CDW laser printer Colour 2400 x 600 DPI A4 Wi-Fi

Brand : Brother

Product name : HL-L8260CDW

Product code: HL-L8260CDW

A4 USB 2.0 256MB 2400DPI IN

Brother HL-L8260CDW laser printer Colour 2400 x 600 DPI A4 Wi-Fi:

Netw Laserprint HL-L2340DW 32MB 2400x600
Brother HL-L8260CDW. Print technology: Laser, Colour. Maximum duty cycle: 40000 pages per month. Maximum resolution: 2400 x 600 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 31 ppm, Duplex printing. Display: LCD. Network ready, Wi-Fi. Product colour: Black, Grey

Printing

Duplex printing mode	Auto
Colour *	✔
Print technology *	Laser
Duplex printing *	✔
Maximum resolution *	2400 x 600 DPI
Print speed (black, normal quality, A4/US Letter) *	31 ppm
Print speed (colour, draft quality, A4/US Letter)	31 ppm
Duplex print speed (black, normal quality, A4/US Letter)	7 ppm
Duplex print speed (colour, normal quality, A4/US Letter)	7 ppm
Warm-up time (from sleep mode)	29 s
Time to first page (black, normal)	15 s
Time to first page (colour, normal)	15 s
Secure printing	✔
N-up printing	2, 6, 9, 16, 25
Economical printing	✔

Features

Maximum duty cycle *	40000 pages per month
Recommended duty cycle	0 - 3000 pages per month
Page description languages *	BR-Script 3, Microsoft XPS, PCL 6, PDF 1.7, XPS

Input & output capacity

Total number of input trays *	1
Total input capacity *	250 sheets
Total output capacity *	150 sheets
Paper input type	Paper tray
Multi-Purpose tray	✔
Multi-Purpose tray input capacity	50 sheets
Maximum input capacity	1050 sheets

Network

Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS Server, TFTP Client & Server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS Client, SNTP Client
Supported network protocols (IPv6)	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS Server, TFTP Client & Server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTP Client
Web-based management	✔
Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Google Cloud Print, Kindle Fire Printing, Mopria Print Service

Performance

Internal memory *	256 MB
Built-in processor	✔
Processor frequency	800 MHz
Coprocessor	✔
Coprocessor frequency	0.133 GHz
Sound pressure level (printing)	49 dB
Sound pressure level (quiet mode)	44 dB

Design

Product colour *	Black, Grey
Built-in display *	✔
Display	LCD
Display number of lines	2 lines
Certification	Nordic Swan

Paper handling

Maximum ISO A-series paper size *	A4
Paper tray media types *	Bond paper, Glossy paper, Plain paper, Recycled paper, Thin paper
Multi-purpose tray media types	Bond paper, Envelopes, Glossy paper, Labels, Plain paper, Recycled paper, Thick paper, Thicker paper, Thin paper
ISO A-series sizes (A0...A9) *	A4, A5, A6
Non-ISO print media sizes	Executive, Folio, Letter, Legal
Custom media width	76.2 - 127 mm
Custom media length	215.9 - 355.6 mm
Paper tray media weight	60 - 105 g/m²
Multi-Purpose Tray media weight	60 - 163 g/m²
Duplex media weight	60 - 105 g/m²

Ports & interfaces

Standard interfaces	Ethernet, USB 2.0, Wireless LAN

Network

Network ready	✓
Wi-Fi *	✓
Ethernet LAN *	✓
Wi-Fi Direct	✓
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, EAP-FAST, EAP-MD5, EAP-TLS, EAP-TTLS, HTTPS, IPPS, IPSEC, PEAP, SMTP-AUTH, SNMP, SSL/TLS, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-EAP, WPA2-PSK

Power

Power consumption (printing) *	580 W
Power consumption (ready)	10 W
Power consumption (standby)	70 W
Power consumption (PowerSave)	340 W
Power consumption (off)	0.02 W
Energy Star Typical Electricity Consumption (TEC)	1.8 kWh/week

System requirements

Windows operating systems supported	✓
Mac operating systems supported	✓
Linux operating systems supported	✓
Other operating systems supported	Android, iOS

Sustainability

Sustainability certificates	Blue Angel, ENERGY STAR

Weight & dimensions

Width	410 mm
Depth	486 mm
Height	313 mm
Weight	21.8 kg

Packaging data

Package width	617 mm
Package depth	533 mm
Package height	521 mm
Package weight	25.4 kg

Packaging content

Power cord included	✓
Drivers included	✓
Quick start guide	✓

Logistics data

Harmonized System (HS) code	84433210

Other features

Power LED	✓

4977766774123

4977766774109

4977766774130

4977766774161

4977766774284

0012502646419

012502646419