



## DELL E Series E1715S LED display 43.2 cm (17") 1280 x 1024 pixels SXGA LCD Black

**Brand :** DELL

**Product family:** E Series

**Product code:** E1715S

**Product name :** E1715S

- 43.2cm (17") SXGA 1280 x 1024 LED TN
- 5ms, 5:4, 250cd/m<sup>2</sup>, 1000:1
- VGA, DisplayPort
- 43.2cm (17") SXGA 1280 x 1024 LED TN, 5:4, 250cd/m<sup>2</sup>, 16.78M, 5ms, 170°/160°, 1000:1

DELL E Series E1715S LED display 43.2 cm (17") 1280 x 1024 pixels SXGA LCD Black:

The Dell™ 17 Monitor – E1715S is your smart choice for reliability and essential features that can help drive productivity.  
DELL E Series E1715S. Display diagonal: 43.2 cm (17"), Display resolution: 1280 x 1024 pixels, HD type: SXGA, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 5:4, Viewing angle, horizontal: 170°, Viewing angle, vertical: 160°. VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	43.2 cm (17")	On Screen Display (OSD)	✓
Display resolution *	1280 x 1024 pixels	Plug and Play	✓
HD type *	SXGA	Tilt adjustment	✓
Native aspect ratio *	5:4	Power	
Display technology *	LCD	Energy efficiency class (SDR) *	D
Panel type *	TN	Energy efficiency class (HDR) *	Not available
Backlight type	LED	Energy consumption (SDR) per 1000 hours *	9 kWh
Touchscreen *	✗	Power consumption (typical) *	9 W
Display brightness (typical)	250 cd/m <sup>2</sup>	Power consumption (standby) *	0.2 W
Response time	5 ms	Power consumption (max)	14 W
Screen shape *	Flat	Power consumption (off)	0.2 W
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA)	AC input voltage	120 - 230 V
Aspect ratio	5:4	AC input frequency	50 - 60 Hz
Contrast ratio (typical) *	1000:1	Input current	1.5 A
Maximum refresh rate *	60 Hz	Power supply type	Internal
Viewing angle, horizontal	170°	Energy efficiency scale	A to G
Viewing angle, vertical	160°	Operational conditions	
Display number of colours *	16.78 million colours	Operating temperature (T-T)	0 - 40 °C
Pixel pitch	0.264 x 0.264 mm	Storage temperature (T-T)	-20 - 60 °C
Horizontal scan range	30 - 81 kHz	Operating relative humidity (H-H)	10 - 80%
Vertical scan range	56 - 76 Hz	Storage relative humidity (H-H)	5 - 90%
Viewable size, horizontal	33.8 cm	Operating altitude	0 - 5000 m
Viewable size, vertical	27 cm	Non-operating altitude	0 - 12192 m
Viewable size diagonal	43.2 cm	Packaging content	
High Dynamic Range (HDR) supported	✗	Stand included	✓
DDC/CI	✓	Cables included	AC, VGA
Colour gamut	85%	Quick start guide	✓
3D	✗	Manual	✓

<b>Performance</b>		<b>Weight &amp; dimensions</b>	
NVIDIA G-SYNC *	✗	Width (with stand)	374.5 mm
AMD FreeSync *	✗	Depth (with stand)	165.5 mm
<b>Multimedia</b>		Height (with stand)	389.5 mm
Built-in speaker(s) *	✗	Weight (with stand)	2.42 kg
Built-in camera *	✗	Width (without stand)	374.5 mm
<b>Design</b>		Depth (without stand)	46.5 mm
Market positioning *	Business	Height (without stand)	306.9 mm
Product colour *	Black	Weight (without stand)	2.08 kg
Feet colour	Black	<b>Packaging data</b>	
Certification	CEL, TCO, VESA EDID	Package width	139.9 mm
<b>Ports &amp; interfaces</b>		Package depth	446 mm
Built-in USB hub *	✗	Package height	382 mm
VGA (D-Sub) ports quantity	1	Package weight	3.69 kg
DVI port	✗	Package type	Box
HDMI *	✗	<b>Sustainability</b>	
DisplayPorts quantity	1	Sustainability certificates	RoHS, EPEAT Gold, ENERGY STAR
Audio input	✗	<b>Logistics data</b>	
Headphone out *	✗	Harmonized System (HS) code	85285210
AC (power) in	✓	<b>Brand-specific features</b>	
<b>Network</b>		Dell Display Manager (DDM) compatibility	✓
Wi-Fi	✗	<b>Thin Client</b>	
<b>Ergonomics</b>		Thin client installed	✗
VESA mounting *	✓	<b>Other features</b>	
Panel mounting interface	100 x 100 mm	On/off switch	✓
Cable lock slot *	✓	TV tuner integrated	✗
Cable lock slot type	Kensington	Dell E-Value Code	E1715S
Height adjustment *	✗		
Pivot	✗		
Swivelling	✗		
Tilt angle range	-5.5 - 22°		



5397063348107



4053162943230



0787999219797



787999219797



7427449368349

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.