



ASUS VZ249HE 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

Brand : ASUS

Product code: 90LM02Q3-B01670

Product name : VZ249HE

16.7M, 5ms, HDMI, D-Sub, Kensington, 23.8" 16:9 Full HD 1920 x 1080

ASUS VZ249HE. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED. Display: LED. Display surface: Matt, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	Built-in USB hub *	✗
Display resolution *	1920 x 1080 pixels	VGA (D-Sub) ports quantity	1
HD type *	Full HD	HDMI ports quantity	1
Native aspect ratio *	16:9	HDCP	✓
Display technology *	LED	Ergonomics	
Panel type *	IPS	Cable lock slot *	✓
Touchscreen *	✗	Cable lock slot type	Kensington
Display brightness (typical)	250 cd/m ²	Height adjustment *	✗
Response time	5 ms	Tilt angle range	-5 - 22°
Display surface	Matt	Tilt adjustment	✓
Screen shape *	Flat	Power	
Supported graphics resolutions	1920 x 1080 (HD 1080)	Energy efficiency class (SDR) *	E
Supported video modes	1080p	Energy consumption (SDR) per 1000 hours *	16 kWh
Contrast ratio (dynamic)	80000000:1	Power consumption (typical) *	14.75 W
Maximum refresh rate *	75 Hz	Power consumption (off)	0.5 W
Viewing angle, horizontal	178°	Power consumption (PowerSave)	0.5 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	16.78 million colours	AC input frequency	50 - 60 Hz
Pixel pitch	0.2652 x 0.2652 mm	Weight & dimensions	
Horizontal scan range	30 - 80 kHz	Width (with stand)	540 mm
Vertical scan range	56 - 76 Hz	Depth (with stand)	211 mm
Digital horizontal frequency	30 - 80 kHz	Height (with stand)	391 mm
Digital vertical frequency	56 - 76 Hz	Width (without stand)	54 cm
3D	✗	Depth (without stand)	3.7 cm
Performance		Height (without stand)	32.3 cm
NVIDIA G-SYNC *	✗	Weight (without stand)	2.65 kg
AMD FreeSync *	✗		

Multimedia		Sustainability	
Built-in camera *	✘	Sustainability certificates	ENERGY STAR
Design		Logistics data	
Product colour *	Black	Harmonized System (HS) code	85285210
	Energy Star, BSMI, CB, CCC, CE, CEL level 1, C-Tick, CU, EPEAT () by region , ErP, FCC, RoHS, UL/cUL, VCCI, WEEE, WHQL (Windows 10, Windows 8.1, Windows 7), TUV Flicker-free , TUV Low Blue Light	Thin Client	
Certification		Thin client installed	✘
		Other features	
		Display	LED



4712900688344

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-FEB-2023. Prints or copies of Information are only valid on the printed Publication date