

TomTom High-Speed Dual-Charger

Brand : TomTom

Product code: 9UUC.001.26

Product name : High-Speed Dual-Charger



- Dual charging: Charges two devices at once
 - Maximum speed output: Charges at high speed of 2.4A per port
 - Suitable for any vehicle: Works in all makes of cars, vans and trucks
 - Smartphone and tablet-compatible: Compatible with most USB connected devices
- High-Speed Dual-Charger

TomTom High-Speed Dual-Charger:

Quickly and safely charge your TomTom sat nav and smartphone at once.
 TomTom High-Speed Dual-Charger. Charger type: Auto, Power source type: Cigar lighter, Charger compatibility: Universal. Input voltage: 12 - 24 V, Maximum output voltage: 5 V. USB 2.0 ports quantity: 2. Product colour: Black



Performance		Performance	
Charger compatibility *	Universal	Compatibility	Blue & Me 2 Blue & me GO 1000 GO 1005 GO 40 GO 400 GO 50 GO 500 GO 5000 GO 51 GO 510 GO 5100 GO 520 GO 5200 GO 530 GO 540 GO 550 GO 60 GO 600 GO 6000 GO 61 GO 610 GO 6100 GO 620 GO 6200 GO 630 GO 730 GO 740 GO 750 GO 930 GO 940 GO 950 GO LIVE 820 GO LIVE 825 GO PROFESSIONAL 520 GO PROFESSIONAL 620 GO PROFESSIONAL 6200 GO PROFESSIONAL 6250 ONE 30 Series ONE IQR Edition PRO 5150 RIDER PRO RIDER URBAN Rider (2006) Rider (2013) Rider 410 Premium Pack Rider 450 Premium Pack Rider 500 Rider 550 Rider 550 Premium Pack Rider Premium Pack START START 2 START 20 START 25 START 40 START 42 START 50 START 52 START 60 START 60 (2012) START 62 TRUCKER 500 TRUCKER 5000 TRUCKER 6000 TomTom GO LIVE Camper & Caravan Trucker 6000 Lifetime Edition VIA 52 VIA 53 VIA 62 Via 110/120/130 Via 125/135 Via LIVE 120 Via LIVE 125 XL 30 Series XL IQR Edition XL IQR LIVE XXL IQR Edition Rider 40 Rider 400 Rider 400 Premium Pack Rider 410 Rider 42 Rider 420 Rider 450
Power source type *	Cigar lighter		
USB 2.0 ports quantity	2		
Charger type *	Auto		
Design			
Product colour *	Black		
LED indicators	Status		
Plug and Play	✓		
Power			
Input voltage	12 - 24 V		
Maximum output voltage	5 V		
Minimum output voltage	5 V		
Port 1 output current	2.4 A		
Port 2 output current	2.4 A		
Weight & dimensions			

Weight & dimensions

Weight	30 g
--------	------

Packaging data

Quantity per pack	1 pc(s)
Package width	90 mm
Package depth	41 mm
Package height	230 mm
Package weight	78 g



0636926092296



636926092296

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.