

## Epson TM-J7700(321) W/O MICR,WHITE, INC PSU, EU

**Brand :** Epson

**Product code:** C31CF70321

**Product name :** TM-J7700(321) W/O MICR,WHITE, INC PSU, EU

- Versatile inkjet POS printer: Faster, better quality and more versatile
- Low TCO: Similar overall costs to previous dot matrix model
- Durable prints: Print is now more resistant to water and light
- Simple maintenance: Ink and paper rolls are very easy to replace
- Backwards compatible: Crisp, clear text and glossy photos

TM-J7700(321) W/O MICR,WHITE, INC PSU, EU

Epson TM-J7700(321) W/O MICR,WHITE, INC PSU, EU. Print technology: Inkjet, Type: POS printer, Print speed: 98 mm/sec. Supported paper width: 58 - 83 mm, Media thickness: 0.06 - 0.09 mm, Maximum paper size (slip): 230 x 297 mm. Connectivity technology: Wired, USB connector: USB Type-B. Ethernet LAN data rates: 10,100 Mbit/s. Sound pressure level (printing): 55 dB, Mean time between failures (MTBF): 180000 h, Autocutter durability: 1.5 million cuts



Printing		Features	
Colour	✗	Certification	CE, EN55024, EN55032 Class A, IEC61000-4-2, IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-11
Print speed	98 mm/sec		
Print speed (graphic)	98 mm/sec		
Print speed (receipt)	98 mm/sec		
Print speed (slip)	85 mm/sec		
Printing characters	Text, Graphic, Barcode		
Character sets	ANK		
Alphanumeric memory	95		
Print technology *	Inkjet		
Type *	POS printer		
Paper handling		Design	
Supported paper width	58 - 83 mm	Product colour *	Black
Media thickness	0.06 - 0.09 mm		
Maximum paper size (slip)	230 x 297 mm		
Ports & interfaces		Power	
USB port *	✓	Power source type *	DC
USB 2.0 ports quantity	1	AC input voltage	24 V
USB connector	USB Type-B	Power consumption (standby)	70000 mA
Connectivity technology *	Wired		
Ethernet LAN (RJ-45) ports	1		
Network		Operational conditions	
Ethernet LAN *	✓	Operating temperature (T-T)	10 - 35 °C
Ethernet LAN data rates	10,100 Mbit/s	Storage temperature (T-T)	-20 - 40 °C
Wi-Fi *	✗	Operating relative humidity (H-H)	20 - 80%
		Storage relative humidity (H-H)	20 - 85%
Features		Weight & dimensions	
Sound pressure level (printing)	55 dB	Width	251 mm
Mean time between failures (MTBF)	180000 h	Depth	260 mm
Half-cutter	✗	Height	188 mm
Autocutter durability	1.5 million cuts	Weight	5.8 kg
Country of origin	China		
Printer receipt unit life	3700000000 lines		
Printer slip unit life	5000000 lines		
		Packaging data	
		Cables included	AC
		Quantity per pack	1 pc(s)
		Package width	355 mm
		Package depth	390 mm
		Package height	310 mm
		Package weight	7.87 kg
		Logistics data	
		Products per pallet	36 pc(s)
		Products per pallet (UK)	36 pc(s)

Features		Technical details	
Safety	TÜV, TÜV (EN60950-1)	Font styles	ANK
		Harmonized System (HS) code	84433210
Other features			
		Paper dimensions	58 mm - 83 mm
		Mean cycles between failures (MCBF)	5000000



8715946639079

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.