

## Epson TM-J7700(301) W/O MICR, BLACK, INC PSU, EU

Brand: Epson Product code: C31CF70301

Product name: TM-J7700(301) W/O MICR, BLACK, INC

PSU, EU

- Versatile inkjet POS printer: Faster, better quality and more versatile
- Low TCO: Similar overall costs to previous dot matrix model
- Durable prints: Print is now more resistant to water and light
- Simple maintenance: Ink and paper rolls are very easy to replace
- Backwards compatible: Crisp, clear text and glossy photos

TM-J7700(301) W/O MICR, BLACK, INC PSU, EU

Epson TM-J7700(301) W/O MICR, BLACK, INC PSU, EU. Print technology: Inkjet, Type: POS printer, Print speed: 98 mm/sec. Supported paper width: 58 - 83 mm, Media thickness: 0.06 - 0.09 mm, Maximum paper size (slip): 230 x 297 mm. Connectivity technology: Wired, USB connector: USB Type-B. Ethernet LAN data rates: 10,100 Mbit/s. Sound pressure level (printing): 55 dB, Mean time between failures (MTBF): 180000 h, Autocutter durability: 1.5 million cuts





Printing		Power	
Colour	×	AC input voltage	24 V
Print speed	98 mm/sec 98 mm/sec 98 mm/sec 85 mm/sec Text, Graphic, Barcode ANK 95	Power consumption (standby)	70000 mA
Print speed (graphic) Print speed (receipt) Print speed (slip) Printing characters Character sets Alphanumeric memory		Operational conditions	
		Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	10 - 35 °C -20 - 40 °C 20 - 80% 20 - 85%
Print technology *	Inkjet	Weight & dimensions	
Type *	POS printer	Width	251 mm
Paper handling		Depth	260 mm
Supported paper width	58 - 83 mm	Height	188 mm
Media thickness	0.06 - 0.09 mm	Weight	5.8 kg
Maximum paper size (slip)	230 x 297 mm	Packaging data	
Ports & interfaces		Cables included	AC 1 pc(s)
USB port * USB 2.0 ports quantity USB connector Connectivity technology * Ethernet LAN (RJ-45) ports	USB Type-B Wired	Quantity per pack Package width Package depth Package height Package weight	350 mm 390 mm 310 mm 7.88 kg
Network		Logistics data	
Ethernet LAN * Ethernet LAN data rates Wi-Fi *	√ 10,100 Mbit/s <b>×</b>	Harmonized System (HS) code Products per pallet Products per pallet layer Pallet gross width	84433210 36 pc(s) 6 pc(s) 80 cm
Features		Pallet gross length	120 cm
Sound pressure level (printing)	55 dB	Pallet gross height	111 cm
Mean time between failures (MTBF)	180000 h	Products per pallet (UK)	36 pc(s)
Half-cutter	×	Products per pallet layer (UK)	6 pc(s)
Autocutter durability	1.5 million cuts	Pallet width (UK)	100 cm
Country of origin	China	Pallet length (UK)	120 cm
Printer receipt unit life Printer slip unit life	370000000 lines 5000000 lines	Pallet height (UK)	111 cm

Features		Technical details	
Safety	TÜV, TÜV (EN60950-1)	Font styles	ANK
Certification	CE, EN55024, EN55032 Class A, IEC61000-4-2, IEC61000-4-3.	Other features	
	IEC61000-4-4, IEC61000-4-5,	Paper dimensions	58 mm - 83 mm
	IEC61000-4-6, IEC61000-4-11	Mean cycles between failures	5000000
Design		(MCBF)	
Product colour *	Black		



8715946639062

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.