## ASUS WS C621E SAGE Intel® C621 LGA 3647 (Socket P) EEB

Brand : ASUS Product code: 90SW0020-M0EAY0

Product name: WS C621E SAGE

- Up to 4-Way NVIDIA® SLI® and AMD® Crossfire X™ on demand
- Two-way Xeon® CPU OC tuning for extreme performance
- Superb scalability and connectivity with onboard U.2, M.2, and USB 3.1 Type-C and Type-A
- Built with premium components for excellent power efficiency
- Easy Management and maintenance with ASUS Control Center (ACC) management software and USB BIOS Flashback

Intel C621, 12 x DIMM, Max. 768GB, DDR4, EEB, SLI, CrossFireX, SATA III

ASUS WS C621E SAGE. Processor manufacturer: Intel, Processor socket: LGA 3647 (Socket P), Compatible processor series: Intel® Xeon®. Supported memory types: DDR4-SDRAM, Maximum internal memory: 768 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, SATA III, U.2, RAID levels: 0, 1, 5, 10. Parallel processing technology support: 4-Way CrossFireX, 4-Way SLI, Graphics card family: ASPEED, Graphics card: AST2500. Ethernet interface type: Gigabit Ethernet, LAN controller: Intel® 1210-AT





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket * Compatible processor series *	Intel LGA 3647 (Socket P) Intel® Xeon®	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A	1
Memory		ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C	1
Supported memory types * Number of memory slots * Memory slots type Supported memory clock speeds	DDR4-SDRAM 12 DIMM 2400,2666 MHz	ports quantity * Ethernet LAN (RJ-45) ports * PS/2 ports quantity S/PDIF out port	2 1 ✓
Maximum internal memory *	768 GB	Network	
Storage controllers Supported storage drive interfaces * RAID levels	M.2, SATA III, U.2 0, 1, 5, 10	Ethernet LAN Ethernet interface type LAN controller	Gigabit Ethernet Intel® I210-AT
Graphics		Features	
Parallel processing technology support * Graphics card family Graphics card	4-Way CrossFireX, 4-Way SLI ASPEED AST2500	Motherboard chipset * Audio chip Audio output channels * Component for *	Intel® C621 Realtek S1220A 7.1 channels PC
Internal I/O		Motherboard form factor *	EEB
USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1)	1	Motherboard chipset family * Power source type	Intel ATX
connectors *	2 Expansion slots		
Number of SATA III connectors * Front panel audio connector Number of EATX power connectors	anel audio connector  r of EATX power connectors  connector  r of chassis fan connectors  7	PCI Express x16 (Gen 3.x) slots Number of M.2 (M) slots	7 1
CPU fan connector		Logistics data	
Number of chassis fan connectors		Harmonized System (HS) code	84733020
Number of COM connectors		Weight & dimensions	
		Width	305 mm

Rear panel I/O ports		Weight & dimension	ons
USB 2.0 ports quantity *	4	Depth	330 mm
		Height	366 mm
		Other features	
		Supported RDIMM clo	ock speeds 2400,2666 MHz
		Weight	2.4 kg
		VGA connectors	1











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.