



EIZO FlexScan EV2785-BK LED display 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD Black

Brand : EIZO

Product family: FlexScan

Product code: EV2785-BK

Product name : EV2785-BK

27", 3840x2160, IPS, LED, USB C, 2x USB, DP 1.2, 2x HDMI, HDCP, RMS 2x 1 W, 3.5mm, AC 100-240 V 50/60 Hz, 611.4x367.3-545.2x230 mm, black

EIZO FlexScan EV2785-BK. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED. Display: LED. Response time: 14 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Height adjustment *	✓
Display resolution *	3840 x 2160 pixels	Height adjustment	17.8 cm
HD type *	4K Ultra HD	Pivot	✓
Native aspect ratio *	16:9	Pivot angle	-45 - 45°
Display technology *	LED	Swivelling	✓
Panel type *	IPS	Swivel angle range	-172 - 172°
Touchscreen *	✗	On Screen Display (OSD)	✓
Display brightness (typical)	350 cd/m²	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, German, English, Spanish, French, Italian, Japanese, Swedish
Response time	14 ms	Number of OSD languages	9
Screen shape *	Flat	LED indicators	Power
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 720 x 576, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1600 x 1200 (UXGA), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 2160, 3840 x 2160	Tilt adjustment	✓
Contrast ratio (typical) *	1300:1	Power	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	G
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours *	28 kWh
Display number of colours *	16.78 million colours	Power consumption (typical) *	27.7 W
Pixel pitch	0.155 x 0.155 mm	Power consumption (standby) *	0.5 W
Viewable size, horizontal	59.7 cm	Power consumption (max)	162 W
Viewable size, vertical	33.6 cm	AC input voltage	100 - 240 V
3D	✗	AC input frequency	50 - 60 Hz
Performance		Energy efficiency scale	A to G
NVIDIA G-SYNC *	✗	Operational conditions	
AMD FreeSync *	✗	Operating temperature (T-T)	5 - 35 °C
		Storage temperature (T-T)	-20 - 60 °C
		Operating relative humidity (H-H)	20 - 80%
		Storage relative humidity (H-H)	10 - 90%

Multimedia		Packaging content	
Built-in speaker(s) *	✓	Cables included	AC
Built-in camera *	✗	Manual	✓
Number of speakers	2	Weight & dimensions	
RMS rated power	2 W	Width (with stand)	611.4 mm
Design		Depth (with stand)	230 mm
Product colour *	Black	Height (with stand)	545.2 mm
Certification	TCO Certified Displays 7, TUV/Ergonomics, TUV/GS, RCM, CE, CB, cTUVus, FCC-B, CAN ICES-3 (B), TUV/S, VCCI-B, EPA Energy Star, WEEE, China RoHS, CCC, EAC	Weight (with stand)	8.2 kg
		Width (without stand)	61.1 cm
		Depth (without stand)	5 cm
		Height (without stand)	35.6 cm
Ports & interfaces		Weight (without stand)	4.9 kg
Built-in USB hub *	✓	Sustainability	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability certificates	EPEAT Gold, ENERGY STAR
USB upstream port type	USB Type-C	Logistics data	
Number of upstream ports	1	Harmonized System (HS) code	85285210
USB Type-A downstream ports quantity	2	Thin Client	
DVI port	✗	Thin client installed	✗
HDMI ports quantity	2	Other features	
DisplayPorts quantity	1	Display	LED
Headphone out *	✓	On/off switch	✓
Headphone outputs	1	TV tuner integrated	✗
Headphone connectivity	3.5 mm	Light sensor	✓
HDCP	✓	No flickering	✓
AC (power) in	✓	Power management	✓
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Cable lock slot type	Kensington		



4995047051855



0690592044881



690592044881

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-JAN-2023. Prints or copies of Information are only valid on the printed Publication date