Zyxel GS1200-8 Managed Gigabit Ethernet (10/100/1000) Silver

Brand: Zyxel Product code: GS1200-8-GB0101F

Product name: GS1200-8

GS1200-8 - 8-Port Web Managed Gigabit Switch

Zyxel GS1200-8. Switch type: Managed. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. Full duplex. MAC address table: 4000 entries, Switching capacity: 16 Gbit/s. Networking standards: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3x, IEEE 802.3x, IEEE 802.3z. DC input voltage: 5 V. Power connector: DC-in jack





Management features		Design	
Switch type * Quality of Service (QoS) support Web-based management Ports & interfaces	Managed ✓ ✓	Product colour LED indicators Safety Electromagnetic compatibility	Silver Power CE-LVD, BSMI CE, FCC, BSMI, Class B
		Performance	
Basic switching RJ-45 Ethernet ports quantity *		Firmware upgradeable	✓
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power	
Power connector	DC-in jack	DC input voltage	5 V
Network	JEEE 002 10 JEEE 002 1 - JEEE	Input current Power consumption (max)	1 A 3.31 W
Networking standards *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Power over Ethernet (PoE)	
10G support *		Power over Ethernet (PoE) *	×
Port mirroring	7	Operational conditions	
Full duplex Flow control support Link aggregation Broadcast storm control	* * * * * * * * * * * * * * * * * * *	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	0 - 40 °C -40 - 70 °C 10 - 90% 10 - 90%
Auto MDI/MDI-X	√	Weight & dimensions	
VLAN support Data transmission	•	Width Depth	155 mm 85 mm
5 , ,	L6 Gbit/s 1000 entries	Height Weight	26 mm 325 g
Store-and-forward	V	Packaging data	
Jumbo frames support Jumbo frames Packet buffer memory	9000 0.15 MB	Quick start guide AC adapter included Package type	✓ ✓ Box
Security		Rubber feet	✓
DHCP features IGMP snooping	DHCP client ✓	Package width Package depth Package height	161 mm 90 mm 95 mm

Multicast features		Packaging data	
Multicast support	✓	Package weight	497 g
Protocols		Logistics data	
Management protocols	IGMPv1,IGMPv2,IGMPv3	Harmonized System (HS) code	85176990
Design			
Rack mounting *	×		



4718937600588

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.