

# KYOCERA FS-9530DN 1800 x 600 DPI A3

**Brand :** KYOCERA

**Product code:** 1102G13NLO

**Product name :** FS-9530DN

FS-9530DN - 1800 x 600dpi, 51ppm, 128MB, 600MHz

**KYOCERA FS-9530DN 1800 x 600 DPI A3:**

**Make sure your work is finished faster**

Wonderfully fast and reliable, the FS-9530DN printer also comes with a highly functional modular design that large departments need to get the entire job done. And with a print speed of 51 pages per minute in A4, the Kyocera FS-9530DN can handle large print volumes quickly and professionally.

**Key features:**

- 51ppm A4 and 26ppm A3 departmental printer.
- 128MB memory standard, upgradeable to 640MB.
- Duplex and network connectivity as standard.
- 100 department codes to track and control printer use.
- High volume paper options and versatile finishing features.
- Long-life components and easy maintenance.



<b>Printing</b>		<b>Network</b>	
Colour *	✗	Supported network protocols (IPv4)	TCP/IP, IPX/SPX, AppleTalk, NetBEUI
Print technology *	Laser	<b>Performance</b>	
Duplex printing *	✓	Internal memory *	128 MB
Maximum resolution *	1800 x 600 DPI	Maximum internal memory	640 MB
Print speed (black, normal quality, A4/US Letter) *	51 ppm	Memory slots	1
Print speed (black, normal quality, A3)	26 ppm	Memory type	DDR
Warm-up time	60 s	Compatible memory cards	CF
Time to first page (black, normal)	3.5 s	Built-in processor	✓
Economical printing	✓	Processor family	PowerPC
<b>Features</b>		Processor model	750FL
Maximum duty cycle *	300000 pages per month	Processor frequency	600 MHz
Printing colours *	Black	Sound pressure level (printing)	70 dB
Number of print cartridges *	1	Sound power level (standby)	51 dB
Page description languages *	PCL 5e, PCL 6, PCL XL	<b>Design</b>	
<b>Input &amp; output capacity</b>		Product colour *	White
Total number of input trays *	2	<b>Power</b>	
Total input capacity *	1200 sheets	Power consumption (printing) *	900 W
Total output capacity *	500 sheets	Power consumption (standby)	180 W
Multi-Purpose tray	✓	Power consumption (PowerSave)	4.5 W
Multi-Purpose tray input capacity	200 sheets	Current rating	11.4 A
Maximum input capacity	4200 sheets	AC input voltage	120 V
Maximum output capacity	500 sheets	AC input frequency	60 Hz
<b>Paper handling</b>			
Maximum ISO A-series paper size *	A3		
Maximum print size	297 x 420 mm		

Paper handling		System requirements	
Paper tray media types *	Bond paper, Envelopes, Labels, Plain paper, Recycled paper, Transparencies	Windows operating systems supported	Windows 2000, Windows 2000 Professional, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 95, Windows 98, Windows 98SE, Windows ME, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
ISO A-series sizes (A0...A9) *	A3, A4, A5		
ISO B-series sizes (B0...B9)	B4, B5		
Ports & interfaces		Mac operating systems supported	Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion
Standard interfaces	Ethernet, Parallel, USB 2.0		
USB 2.0 ports quantity	1	Linux operating systems supported	✓
Network		Server operating systems supported	Windows Server 2003
Network ready	✓	Other operating systems supported	Novell NetWare 4.x, Novell NetWare 5.x, Novell NetWare 6.x
Ethernet LAN *	✓	<b>Sustainability</b>	
Cabling technology	10/100Base-T(X)	Sustainability certificates	ENERGY STAR
Ethernet LAN data rates	10,100 Mbit/s	<b>Weight &amp; dimensions</b>	
		Weight	68 kg
		Dimensions (WxDxH)	599 x 646 x 615 mm
		<b>Other features</b>	
		Networking features	Fast Ethernet
		Fonts included	✓



0632983008829



632983008829

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.