

## Lexmark MS521dn 1200 x 1200 DPI A4

**Brand :** Lexmark

**Product code:** 3650308

**Product name :** MS521dn

A4, Duplex, Monochrome Laser, 1200 x 1200DPI, 44ppm, Gigabit Ethernet, USB 2.0 Type B  
Lexmark MS521dn. Print technology: Laser. Maximum duty cycle: 120000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 44 ppm, Duplex printing. Display: LCD, Product colour: Black, Grey



Printing		Performance	
Colour *	✗	Internal memory *	512 MB
Print technology *	Laser	Maximum internal memory	512 MB
Duplex printing *	✓	Built-in processor	✓
Maximum resolution *	1200 x 1200 DPI	Processor frequency	1000 MHz
Print speed (black, normal quality, A4/US Letter) *	44 ppm	Sound pressure level (printing)	56 dB
Duplex print speed (black, normal quality, A4/US Letter)	22 ppm	Sound pressure level (duplex printing)	55 dB
Time to first page (black, normal)	6 s	Noise level (idle)	14 dB
Features		Design	
Maximum duty cycle *	120000 pages per month	Product colour *	Black, Grey
Recommended duty cycle	2000 - 15000 pages per month	Built-in display *	✓
Page description languages *	Microsoft XPS, PCL 5e, PCL 6, PDF 1.7, PPDS, PostScript 3	Display	LCD
Input & output capacity		Colour display	✓
Total number of input trays *	2	Display diagonal	6.1 cm (2.4")
Total input capacity *	350 sheets	Touchscreen	✗
Total output capacity *	150 sheets	Power	
Paper input type	Paper tray	Power consumption (ready)	8 W
Multi-Purpose tray	✓	Energy Star Typical Electricity Consumption (TEC)	1.8 kWh/week
Multi-Purpose tray input capacity	100 sheets	System requirements	
Maximum number of input trays	3	Windows operating systems supported	✓
Maximum input capacity	2000 sheets	Linux operating systems supported	✓
Maximum output capacity	150 sheets	Operational conditions	
Paper handling		Operating temperature (T-T)	16 - 32 °C
Maximum ISO A-series paper size *	A4	Operating relative humidity (H-H)	8 - 80%
Paper tray media types *	Card stock, Envelopes, Plain paper, Transparencies	Operating altitude	0 - 5000 m
Multi-purpose tray media types	Envelopes, Plain paper, Transparencies	Sustainability	
ISO A-series sizes (A0...A9) *	A4, A6	Sustainability certificates	ENERGY STAR
Non-ISO print media sizes	Executive, Folio, Legal, Oficio, Statement, Universal	Weight & dimensions	
JIS B-series sizes (B0...B9)	B5	Width	399 mm
Envelopes sizes	7 3/4, 9, 10, DL	Depth	374 mm
Ports & interfaces		Height	260 mm
Standard interfaces	Ethernet, USB 2.0	Weight	14.1 kg
USB connector	USB Type-B	Packaging data	
Optional connectivity	Wireless LAN	Package width	430 mm
Network		Package depth	470 mm
Ethernet LAN *	✓	Package height	376 mm
		Package weight	16 kg

Network		Packaging content	
Cabling technology	10/100/1000Base-T(X)	Power cord included	✓
Ethernet LAN data rates	10,100,1000 Mbit/s	Software CD	✓
Security algorithms	HTTPS, IPSec, LEAP, PEAP, SNMP, SNMPv3, SSL/TLS, TTLS	Documentation CD	✓



0734646659222



734646659222

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-JAN-2023. Prints or copies of Information are only valid on the printed Publication date