

## HP Thunderbolt Dock G2 with Combo Cable

Brand : HP

Product code: 3TR87AA

Product name : Thunderbolt Dock G2 with Combo Cable

Thunderbolt Dock G2 with Combo Cable

HP Thunderbolt Dock G2 with Combo Cable:

Turn heads and change minds with a stylish, modern expansion solution.

Reinvent docking and boost productivity with our most versatile Thunderbolt<sup>™</sup> dock, the small, sophisticated HP Thunderbolt Dock G2. Designed for workspace flexibility and network manageability<sup>[1]</sup>, it delivers USB-C<sup>™ [2]</sup> device connectivity and optional integrated audio.<sup>[3]</sup>

HP Thunderbolt Dock G2 with Combo Cable. Connectivity technology: Wired, Host interface: Thunderbolt. Product colour: Black, Cable lock slot type: Kensington, Country of origin: China. Power source type: DC, Power supply: 230 W, Power supply type: External. Windows operating systems supported: Windows 10, Windows 7, Mobile operating systems supported: iOS, Other operating systems supported: ChromeOS. Width: 98 mm, Depth: 98 mm, Height: 69 mm






Ports & interfaces		Performance	
Connectivity technology * Host interface * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity VGA (D-Sub) ports quantity DisplayPorts quantity Thunderbolt 3 ports quantity	1	Compatibility	Elite x2 1012 G1, Elite x2 1012 G2, Pro x2 612 G2, EliteBook Folio G1, EliteBook x360 1030 G2, EliteBook x360 1020 G2, EliteBook 1040 G4, EliteBook 800 G5, EliteBook 700 G5, ProBook 600 G4, ProBook 400 G5, ZBook 14u G5, ZBook 15u G5, ZBook 17 G3, ZBook 15 G3, ZBook 17 G4, ZBook 15 G4 Business
		HP segment	DUSITIESS
Microphone in *	×	Power	
Combo headphone/mic port	1	Power source type	DC
DC-in jack	✓	Power supply	230 W
Network		Power supply type	External
Ethernet LAN *	1	Output voltage	19.7 V
Ethernet LAN (RJ-45) ports	1	Output current	11.8 A
Performance		Software	
Card reader integrated * Cable lock slot Cable lock slot type Product colour * Country of origin Brand compatibility	<ul> <li>✓</li> <li>Kensington</li> <li>Black</li> <li>China</li> <li>HP</li> </ul>	Windows operating systems supported Mobile operating systems supported Other operating systems supported	
		Weight & dimensions	
		Width Depth Height Weight	98 mm 98 mm 69 mm 800 g
		Packaging content	
		Cables included	Thunderbolt
		Logistics data	

Harmonized System (HS) code


84733020











































































Disclammen. The information published here (the information i) is based on sources that can be considered reliable, typically the manufacturer, but this information is provided (ASIS) and without guarantee of correctness or completeness. The information is provided (ASIS) and without guarantee of correctness or completeness. The information is information do not accept any liability with regard to the content of (web)pages and other documents, including its information. The publisher of the information can not be held liable for the content of 3rd party or information are solely responsible for the choice and usage of this information. You are not entitled to transfer, copy or otherwise multiply or distribute the information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-FEB-2023. Prints or copies of Information are only valid on the printed Publication date