

Lindy 2m High Speed HDMI Cable, Anthra Line

Brand : Lindy

Product code: 36963

Product name : 2m High Speed HDMI Cable, Anthra Line

- Professional choice High Speed HDMI 2.0 cable for commercial and high performance AV and IT installations
- Supports UHD resolutions up to 4096x2160@60Hz and HDTV resolutions up to 1080p
- Robust PVC housing, 24K gold plated connectors and contacts
- Triple shielded cable, corrosion resistant tinned copper 30AWG conductors
- HDMI 2.0 compliant: 3D, 4K, 18Gbps, HEC, ARC, CEC, Dolby True HD, DTS-HD Master Audio; HDMI ATC certified; 10 year warranty

2m HDMI High Speed HDMI Cable, Anthra Line

Lindy 2m High Speed HDMI Cable, Anthra Line. Cable length: 2 m, Connector 1: HDMI Type A (Standard), Connector 1 gender: Male, Connector 2: HDMI Type A (Standard), Connector 2 gender: Male, Connector contacts plating: Gold, HDMI version: 2.0, 3D, Maximum resolution: 4096 x 2160 pixels, Data transfer rate: 18 Gbit/s, Audio Return Channel (ARC), Product colour: Black, Grey



Features		Features	
Cable length *	2 m	Connector material	Gold
Connector 1 *	HDMI Type A (Standard)	Cable material	Copper
Connector 2 *	HDMI Type A (Standard)	Cable type	Round cable
Connector 1 gender *	Male	Cable jacket material	Polyvinyl chloride (PVC)
Connector 2 gender *	Male	Shield material	Copper
Connector 1 form factor	Straight	Bending radius (min)	4.8 cm
Connector 2 form factor	Straight	Colour sampling	4:4:4
Product colour *	Black, Grey	Nominal attenuation	300kHz-825MHz 5dB, 825MHz-2.475GHz 5dB, 2.475GHz-4.125GHz 12dB, 4.125GHz-5.1GHz 20dB
HDMI version	2.0	Certification	RoHS, REACH, UL, ATC
3D	✓	Quantity per pack *	1 pc(s)
Supported graphics resolutions	4096 x 2160	Operational conditions	
Supported video modes	1080p	Operating temperature (T-T)	-10 - 80 °C
Dolby technologies	DTS-HD Master Audio, Dolby TrueHD	Storage temperature (T-T)	-10 - 80 °C
Audio Return Channel (ARC)	✓	Weight & dimensions	
HDMI Ethernet channel	✓	Cable diameter	6 mm
Data transfer rate	18 Gbit/s	Connector 1 dimensions (WxDxH)	20 x 34.2 x 10.9 mm
Maximum resolution	4096 x 2160 pixels	Connector 2 dimensions (WxDxH)	20 x 34.2 x 10.9 mm
AWG wire size	30	Package type	Polybag
Contact material	Phosphor copper	Logistics data	
Connector contacts plating *	Gold	Harmonized System (HS) code	84733080
Connector housing material	Polyvinyl chloride (PVC)		



4002888369633

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-JAN-2023. Prints or copies of Information are only valid on the printed Publication date