



## EIZO ColorEdge CG319X LED display 79 cm (31.1") 4096 x 2160 pixels 4K DCI Black

**Brand :** EIZO

**Product family:** ColorEdge

**Product code:** CG319X

**Product name :** CG319X

EIZO ColorEdge CG319X. Display diagonal: 79 cm (31.1"), Display resolution: 4096 x 2160 pixels, HD type: 4K DCI, Display technology: LED, Response time: 9 ms, Native aspect ratio: 17:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	79 cm (31.1")	USB Type-A downstream ports quantity	3
Display resolution *	4096 x 2160 pixels	DVI port	✗
HD type *	4K DCI	HDMI ports quantity	2
Native aspect ratio *	17:9	DisplayPorts quantity	2
Display technology *	LED	HDCP	✓
Panel type *	IPS	Ergonomics	
Touchscreen *	✗	VESA mounting *	✓
Display brightness (typical)	350 cd/m <sup>2</sup>	Panel mounting interface	100 x 100 mm
Response time	9 ms	Cable lock slot *	✓
Screen shape *	Flat	Height adjustment *	✓
Supported graphics resolutions	1920 x 1200 (WUXGA), 2560 x 1440, 2560 x 1600 (WQXGA), 3840 x 2160, 4096 x 2160	Height adjustment	15.4 cm
Aspect ratio	17:9	Tilt angle range	-5 - 35°
Viewing angle, horizontal	178°	Tilt adjustment	✓
Viewing angle, vertical	178°	Power	
Display number of colours *	16.78 million colours	Energy efficiency class (SDR) *	G
Pixel pitch	0.17 x 0.17 mm	Energy consumption (SDR) per 1000 hours *	55 kWh
Pixel density	149 ppi	Power consumption (typical) *	54.6 W
Viewable size, horizontal	69.8 cm	Power consumption (standby) *	0.5 W
Viewable size, vertical	36.8 cm	Power consumption (max)	140 W
RGB colour space	sRGB	AC input voltage	100 - 240 V
3D	✗	AC input frequency	50 - 60 Hz
Performance		Energy efficiency scale	A to G
NVIDIA G-SYNC *	✗	Weight & dimensions	
AMD FreeSync *	✗	Width (with stand)	735 mm
Multimedia		Depth (with stand)	290 mm
Built-in speaker(s) *	✗	Height (with stand)	588 mm
Built-in camera *	✗		

Design		Weight & dimensions	
Market positioning *	Graphics design	Weight (with stand)	12.4 kg
Product colour *	Black	Width (without stand)	735 mm
<b>Ports &amp; interfaces</b>		Height (without stand)	434 mm
Built-in USB hub *	✓	Logistics data	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Harmonized System (HS) code	85285210
Number of upstream ports	1	Other features	
		On/off switch	✓
		TV tuner integrated	✗



4995047053088

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 08-SEP-2023. Prints or copies of Information are only valid on the printed Publication date