EPSON

# Epson Proofing Paper White Semimatte, 17" x 30,5 m, $250g/m^2$

#### Brand : Epson

Product code: C13S042003

 $\mbox{Product name}$  : Proofing Paper White Semimatte, 17" x 30,5 m, 250g/m²

Proofing Paper White Semimatte, 17" x 30,5 m, 250g/m<sup>2</sup>

Epson Proofing Paper White Semimatte, 17" x 30,5 m, 250g/m<sup>2</sup>:

Designed with 250µm naturally bright white base, Epson Proofing Paper White Semimatte is free of optical brighteners and ideally suited for proofing a wide variety of colour critical commercial offset printing applications. It is most commonly used in high-end sheetfed printed products such as brochures, collateral, book covers and posters.

Coated to exacting standards, Proofing Paper White Semimatte is specifically optimised for proofing applications using Epson UltraChrome<sup>™</sup> K3 ink and displays outstanding short term stability. Its weight, base tint, and wide colour gamut makes this the perfect choice for commercial proofing applications.

Like all Epson's innovative media, this paper is engineered to give you the highest resolution and colour saturation possible. As always, Epson supplies guarantee Epson quality.

White Semi-matt

250 g/m<sup>2</sup>

250 µm

#### Features

Product colour Finish type \* Media weight \* Printing media thickness



### Features

Features	
Compatible products	<ul> <li>SureColor SC-T7200D - SureColor SC-T5200D-PS - SureColor SC- T5200D - SureColor SC- SureColor SC-P9000V - SureColor SC-P9000 Series - SureColor SC- P9000 STD Spectro - SureColor SC- P9000 STD - SureColor SC-P8000 Series - SureColor SC-P8000 STD - SureColor SC-P800 Roll Unit Promo - SureColor SC-P800 Roll Unit Promo - SureColor SC-P800 - SureColor SC- P7000V - SureColor SC-P7000 Violet Spectro - SureColor SC-P7000 Series - SureColor SC-P7000 STD Spectro - SureColor SC-P7000 STD Spectro - SureColor SC-P7000 STD - SureColor SC-P6000 - SureColor SC-P6000 STD - SureColor SC-P7000 STD - SureColor SC-P6000 - SureColor SC-P6000 STD - SureColor SC-P5000 Violet Spectro 240v - SureColor SC-P5000 Violet Spectro - SureColor SC-P5000 Violet Spectro - SureColor SC-P5000 Violet Spectro - SureColor SC-P5000 Violet Spectro - SureColor SC-P5000 STD - SureColor SC-P5000 STD Spectro 240v - SureColor SC-P5000 STD 240v - SureColor SC-P5000 STD Spectro - SureColor SC-P5000 STD 240v - SureColor SC-T5000 - Epson SureColor SC-T5000 - Epson SureColor SC-T5000 - Epson Stylus Pro WT7900 - Epson Stylus Pro 9900 Spectro Proofer UV - Epson Stylus Pro 9900 Spectro Proofer - Epson Stylus Pro 9900 - Epson Stylus Pro 9900 Spectro Proofer - Epson Stylus Pro 9900 - Epson Stylus Pro 9900 Spectro Proofer - Epson Stylus Pro 9900 - Epson Stylus Pro 9900 Spectro Proofer - Epson Stylus Pro 9900 - Epson Stylus Pro 7900 Spectro Proofer - Epson Stylus Pro 7900 - Epson Stylus Pro 7900 Spectro Proofer - Epson Stylus Pro 7900 - Epson Stylus Pro 7900 Spectro Proofer - Epson Stylus Pro 7900 - Epson Stylus Pro 7900 Spectro Proofer - Epson Stylus Pro 7900 - Epson Stylus Pro 7900 Spectro Proofer - Epson Stylus Pro 7900 - Epson Stylus Pro 7900 Spectro Proofer - Epson Stylus Pro 4900 SpectroProofer - Epson Stylus Pro 4900 Spectro Proofer Designer Edition - Epson Stylus Pro 4900 Spectro M1 - Epson Stylus Pro 4900 - Epson Stylus Pro 4800 -</li></ul>
Weight & dimensions	46.2 cm
Roll length	30.5 m
Packaging data	
Quantity per pack Package width Package depth Package height Package weight	1 pc(s) 165 mm 480 mm 165 mm 4.78 kg
Logistics data	
Harmonized System (HS) code Pallet width (UK) Pallet length (UK) Pallet height (UK) Pallet gross width Pallet gross length Pallet gross height	37032000 100 cm 120 cm 83 cm 80 cm 120 cm 83 cm
Pallet gross height Products per pallet	83 cm

48 pc(s)

Products per pallet

## Logistics data

Products per pallet (UK)	70 pc(s)
Products per pallet layer	9 pc(s)
Products per pallet layer (UK)	14 pc(s)
Master (outer) case width	165 mm
Master (outer) case length	480 mm
Master (outer) case height	165 mm
Products per master (outer) case	1 pc(s)
Other features	

Country of origin

Germany





8715946343020

0010343857575



010343857575

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.