

# Brother MFC-L3730CDN multifunction printer LED A4 2400 x 600 DPI 18 ppm

**Brand :** Brother

**Product code:** MFC-L3730CDN

**Product name :** MFC-L3730CDN

Brother MFC-L3730CDN. Print technology: LED, Printing: Colour printing, Maximum resolution: 2400 x 600 DPI, Print speed (colour, normal quality, A4/US Letter): 18 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 2400 x 1200 DPI. Faxing: Mono faxing. Maximum ISO A-series paper size: A4. Product colour: Black, White



| Printing  |                               | Paper handling                          |   |
|---|-------------------------------|---|---|
| Print technology *                                  | LED                           | Paper tray media weight                 | 60 - 163 g/m <sup>2</sup>   |
| Printing *  | Colour printing               | Auto Document Feeder (ADF) media weight | 64 - 105 g/m <sup>2</sup>   |
| Duplex printing *                                   | ✓                             | <b>Ports &amp; interfaces</b>           |   |
| Maximum resolution *                                | 2400 x 600 DPI                | Standard interfaces                     | Ethernet, USB 2.0   |
| Print speed (black, normal quality, A4/US Letter) * | 18 ppm                        | USB port                                | ✓   |
| Print speed (colour, normal quality, A4/US Letter)  | 18 ppm                        | USB 2.0 ports quantity                  | 1   |
| Warm-up time  | 28 s                          | <b>Network</b>                          |   |
| Time to first page (black, normal)                  | 15.5 s                        | Ethernet LAN *                          | ✓   |
| Time to first page (colour, normal)                 | 15.5 s                        | Cabling technology                      | 10/100Base-T(X)   |
| N-up printing                                       | 2, 4, 9, 16, 25               | Ethernet LAN data rates                 | 10,100 Mbit/s   |
| <b>Copying</b>                                      |                               | Security algorithms                     | EAP-FAST, EAP-TLS, EAP-TTLS, PEAP, SMTP-AUTH, SNMPv3, SSL/TLS   |
| Copying *   | Colour copying                | Supported network protocols (IPv4)      | ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS / NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR / LPD, Custom Raw Port / Port9100, SMTP Client, IPP / IPPS, FTP Client and Server, CIFS client, TELNET server, SNMPv1 / v2c / v3, HTTP / HTTPS server, TFTP client and server, ICMP, web services (print / scan), SMTP client |
| Maximum copy resolution *                           | 600 x 600 DPI                 | Supported network protocols (IPv6)      | NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR / LPD, Custom Raw Port / Port9100, IPP / IPPS, SMTP client, FTP client and server, CIFS client, TELNET server, SNMPv1 / v2c / v3, HTTP / HTTPS server, TFTP client and server, ICMPv6, SMTP Client, Web Services (Print / Scan)   |
| Time to first copy (black, normal)                  | 17 s                          |   |   |
| Copier resize                                       | 25 - 400%                     |   |   |
| <b>Scanning</b>                                     |                               |   |   |
| Scanning *  | Colour scanning               |   |   |
| Optical scanning resolution *                       | 2400 x 1200 DPI               |   |   |
| Scanner type *                                      | Flatbed & ADF scanner         |   |   |
| Scan technology                                     | CIS                           |   |   |
| Scan to   | E-mail, FTP, File, Image, SMB |   |   |
| Input colour depth                                  | 48 bit                        |   |   |
| Output colour depth                                 | 24 bit                        |   |   |
| Greyscale levels                                    | 256                           |   |   |
| <b>Fax</b>  |                               |   |   |
| Faxing *  | Mono faxing                   |   |   |

|   |  |                                     |  |
|---|--|-------------------------------------|--|
| <b>Fax</b>                                |  | <b>Network</b>                      |  |
| Modem speed                               | 33.6 Kbit/s  | Online services supported           | Box, Dropbox, Evernote, Google Drive, OneDrive, OneNote                                  |
| Fax memory                                | 500 pages  | Mobile printing technologies        | Apple AirPrint, Brother iPrint & Scan, Google Cloud Print, Mopria Print Service          |
| <b>Features</b>                           |  | <b>Performance</b>                  |  |
| Page description languages                | PCL 6, PostScript 3                                  | Internal memory *                   | 512 MB   |
| All-In-One-multitasking                   | ✓  | Built-in processor                  | ✓  |
| <b>Input &amp; output capacity</b>        |  | Processor frequency                 | 800 MHz  |
| Total input capacity *                    | 250 sheets   | Sound pressure level (printing)     | 45 dB  |
| Total output capacity *                   | 150 sheets   | <b>Design</b>                       |  |
| Paper input type                          | Paper tray   | Product colour *                    | Black, White   |
| Auto document feeder (ADF)                | ✓  | Market positioning *                | Home & office  |
| Auto document feeder (ADF) input capacity | 50 sheets  | Built-in display *                  | ✓  |
| <b>Paper handling</b>                     |  | Display                             | LCD  |
| Maximum ISO A-series paper size *         | A4   | Display diagonal                    | 9.3 cm (3.66")   |
| Paper tray media types *                  | Plain paper, Recycled paper, Thick paper, Thin paper | Touchscreen                         | ✓  |
| Multi-purpose tray media types            | Executive, Legal, Letter                             | Control type                        | Touch  |
| ISO A-series sizes (A0...A9) *            | A4, A5, A6   | <b>System requirements</b>          |  |
| Custom media width                        | 76.2 - 215.9 mm                                      | Windows operating systems supported | Windows 10, Windows 7, Windows 8, Windows 8.1  |
| Custom media length                       | 116 - 355.6 mm                                       | Mac operating systems supported     | Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra             |
|   |  | Linux operating systems supported   | ✓  |
|   |  | Server operating systems supported  | Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2013, Windows Server 2016 |
|   |  | <b>Sustainability</b>               |  |
|   |  | Sustainability certificates         | ENERGY STAR  |
|   |  | <b>Weight &amp; dimensions</b>      |  |
|   |  | Width                               | 410 mm   |
|   |  | Depth                               | 475 mm   |
|   |  | Height                              | 414 mm   |
|   |  | Weight                              | 23.4 kg  |
|   |  | <b>Logistics data</b>               |  |
|   |  | Harmonized System (HS) code         | 84433100   |
|   |  | <b>Other features</b>               |  |
|   |  | Printer management                  | Web Based Management, BRAdmin Professional for Windows, BRAdmin Light for Windows        |



4977766790253



4977766790536



4977766790277



4977766790567



4977766790260



4002352011327

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.